



  
**240** | YEARS  
OF LOCKMAKING EXCELLENCE

# CATALOGUE 2022



[www.squirelocks.co.uk](http://www.squirelocks.co.uk)

NEW ABC 5TH EDITION. BENTLEY'S.  
CABLES AND TELEGRAMS. "TELESCOPE" BLOXWICH.  
WORKS, 7 BLOXWICH.  
LONDON. MOUNTVIEW 1994.

ON ADMIRALTY LIST, WAR OFFICE, INDIA OFFICE AND H. M. OFFICE OF WORKS.

# HENRY SQUIRE & SONS, LTD

ESTABLISHED 1780  
GENERAL LOCK MANUFACTURERS

BRASS FOUNDERS & STAMPERS



NEW INVENTION Near WOLVERHAMPTON,  
ENGLAND.



## INTRODUCING SQUIRE

We are proud to present our new 'Catalogue 2022'. As a family business that began in 1780, we take huge pride in our craft and stand firmly behind our reputation for long lasting toughness that's guaranteed. That's why we offer a personal 10 year guarantee on every product.

### Celebrating over 240 years of lock making

Squire has been at the forefront of international lock making for over 240 years. As an eighth generation independent family-owned lock manufacturer, Squire continues its tradition of offering high-quality, performance-led products at very competitive prices.

*John Squire*

CEO - 8th Generation



  
**240** | YEARS  
OF LOCKMAKING EXCELLENCE

# CONTENTS

## INTRODUCTION

Introduction	3
Which category to use	5
Keyed alike, Master keyed	5
Quality	5
New Products	6-9
Inigma	10

## WORK

Introduction to @WORK	12
Stronghold® Range	14
Warrior™ Combi Range	28
Warrior™ Key Range	30
General Use Padlocks	32
Combi-Bolt™ 5	33
Hasp and Staples	34
Lock and Chain Sets	36
Chains	38
Key Safes	40

## HOME

Introduction to @HOME	42
Vulcan™ Combi Range	44
Vulcan™ Key Range	46
CP Combination Range	48
Lion Range	50
All Terrain	52
Old English	53
Stronglock Range	54
P4 Keyed Alike KIT	56
Keybolt, Hasp & Staples	59
Combi-Bolt™ 3 & 4	60

## LEISURE

Intro to @LEISURE	62
CP All Terrain Range	64
Leisure Padlock Range	66
Leisure Marine Grade	68

## GENERAL SECURITY PRODUCTS

Hasp and Staples	70
Chains Range	72
Lock and Chain Sets	75
Garage Security	80
Ground and Wall Anchors	81
Bike Locks - KILDA and FOLDA	82
Keys and Key Blanks	84
Merchandisers	86
Terms and conditions	88



**240|YEARS**

OF LOCKMAKING EXCELLENCE

## WHICH CATEGORY TO CHOOSE



### WORK

**Use:** trade use, toolbox, container, commercial vehicle, outbuilding / warehouse, security gate garage forecourt

**SECURITY RATING**  
maximum 6-10

### HOME

**Use:** all-round home use, garage, shed, front gate, storage

**SECURITY RATING**  
high 2-7

### LEISURE

**Use:** out and about, recreational gear, suitcase, caravan / camping, bbq, sport locker, marine

**SECURITY RATING**  
basic 1-7


## KEYED ALIKE AND MASTER KEYED SERVICES

Throughout this price list, you will find that some of our locks are available either as a standard lock, Keyed Alike or Master Keyed. Here we explain what each type of lock can do, to assist you in your product selection.



Keyed Alike System

**Keyed Alike** - Where two or more padlocks can be operated with the same key. For 4 pin tumbler locks there are over 1000 different Keyed Alike combinations, for 5 pin there are over 1500 and for 6 pin tumbler locks there are over 250,000 different Keyed Alike combinations.



Master Key System

**Master Keyed** - Padlocks keyed so that each padlock is different yet a Master Key will open them all. A Master Keying surcharge is applicable, see the footnote after each product listing.

## QUALITY AND STANDARDS



Squire products are covered by a variety of industry accreditations. Much of the Squire cycle range and certain padlocks are Sold Secure approved meaning that they have been independently attack tested. Sold Secure products are also supported by Secured by Design which was initiated by the British Police Force.

Squire have a number of **Stronghold**® products that achieve LPCB (Loss Prevention Certification Board) approval which is the UK's most stringent approval body and many other padlocks within the Stronghold range meet the CEN EN 12320 Standard.

## New Products

### **inigma™** Smart Bike Locks

Our super-secure range of smartphone operated bike locks. Featuring one of the world's most secure military grade operating systems. All inigma products are Sold Secure approved and bear the BSI Kitemark for IoT (Residential), the first bike locks to achieve this (see page 10 to 11).

### **Mercury Range - COMING SOON**

Seriously tough padlocks, built for security and reliability. They feature hardened Boron Alloy steel shackles and an anti-pick high precision lock cylinder. Available in 45-60mm dia sizes.

### **CP All Terrain**

The new CP All Terrain locks combine all of the features of Squire's highly popular CP combination range with added weather protection features. Tested to 312 hours salt spray. Available in standard dark blue, high visibility orange and RUSTPROOF light blue versions (see page 64).

### **Leisure Marine Grade**

Squire have a new LEISURE - MARINE GRADE range. This category of locks is an extension of the regular LEISURE range having features that enhance performance in wet conditions. Many locks in this range have been salt spray tested (see page 68).

### **4 Inch shackle locks**

Two new extra long shackle padlocks. See page 49 for the CP50/4 and page 51 for the Lion LN4/4.

### **GA7 Ground anchor**

A new ground anchor, slightly smaller than the GA6, though still achieving Sold Secure Gold Motorcycle and Sold Secure Diamond Bicycle Approval (see page 81).



**240|YEARS**

OF LOCKMAKING EXCELLENCE



**MADE IN BRITAIN**



inigma bicycle locks



Mercury range



CP All Terrain



Leisure Marine Grade



100mm

Extra long 4 Inch shackles



GA7 Ground anchor

## New for 2022

### Elite Dimple Pin as standard

On SS80, SS65, SS50 and WS75  
Ranges at no extra cost

Squire are now offering Elite dimple pin key as standard on various **Stronghold**® products. Squire understand that some customers may specifically request this kind of key from their locksmith. Now locksmiths can support this across the **Stronghold**® range at no extra cost to the customer. Squire's dimple pin key system is patented until 2034 and offers 470,000 key differs - over 200,000 more than on their standard **Stronghold**® key.

### Choice of boxed or retail pack packaging

As part of Squire's ongoing commitment to the environment, all **Stronghold**® products originally available in retail packs are now also available in attractive printed boxes.



New for 2022

## KILDA cable locks and integrated chains

Our latest range of cable locks and integrated locks and chains, ideal for locking bikes, ladders, tools etc. Security rated, easy to use, convenient. Choose from cable locks or lock and chain sets with combination or key operated padlocks (see page 82-83).




KILDA Packaging



KILDA Cable Locks

## FOLDA folding locks

Two new super-lightweight folding locks designed for the urban cyclist. Compact, convenient, easy to carry, FOLDA and FOLDA Mini come with holster and carrying bracket (see page 82-83).



FOLDA Folding Locks



KILDA Security Cables

# SQUIRE inigma

## SMART ACCESS CONTROL

- Bluetooth security, use your smart phone to control access (Apple IOS and Android compatible)
- A range of bicycle locks (available now), padlocks and security cylinders (coming soon)
- Easy to use interface
- Secure AES-256 bit encryption (with E2EE)
- One key fits all locks
- Give and revoke access
- Control what locks smart key users can open & when
- Comprehensive audit trail of locks visited.

## INIGMA BICYCLE LOCKS

- A range of three bicycle locks, the BL1 inigma 'D' lock, the FL1 Folding lock and the IC1 integrated lock and chain
- Has achieved BSI Kitemark for Internet of Things (Residential) and the software operating system carries the Kitemark for IoT Secure Digital Applications
- See the next page for full details on three inigma cycle locks

## INIGMA PADLOCKS AND SECURITY CYLINDERS Coming soon!

Due to launch in 2022 is the inigma range of padlocks and security cylinders

- Solid hardened steel lock body
- Electrophoretic anti-corrosion finish
- Hardened boron alloy steel shackle
- Anti-drill protection for extra security
- Extra high security
- Highly corrosion resistant - over 480-hours salt spray test
- Suitable for harsh environments
- Comes in a range of sizes and shackle variants
- Can record visits by smart key users (5,000 events)




## inigma™ BL1

SOLD SECURE GOLD,  
BSI KITEMARK D-lock

- 12.7mm hardened boron steel shackle
- Aluminium lock body with internal armouring
- Indicator light/wake button
- Release button
- Sold Secure Gold Bicycle Approved, BSI Kitemarks



Product Code: INIGMA BL1




## inigma™ FL1

SOLD SECURE BRONZE,  
BSI KITEMARK folding lock

- Light weight aluminium lock body, hardened steel casing
- 5mm Hardened steel links
- ABS coating, prevents damage to bicycle paintwork
- Total length 800mm
- Compact holster and carrying bracket included
- Indicator light/wake button
- Release button
- Sold Secure Bronze Bicycle Approved, BSI Kitemarks



Product Code: INIGMA FL1



## inigma™ IC1

SOLD SECURE BRONZE,  
BSI KITEMARK integrated  
lock and chain

- Light weight aluminium lock body, hardened steel casing
- 8mm square hardened alloy steel chain
- 800mm in length
- Indicator light/wake button
- Release button
- Sold Secure Bronze Approved, BSI Kitemarks



Product Code: INIGMA IC1



## inigma® Bicycle locks

Code	Sold Secure	Security Rating	Description	Height	Width	Vertical shackle Clearance	Horizontal shackle Clearance	Barcode	Pack Type	Min Qty
INIGMA BL1	GOLD	10	Inigma Sold Secure Gold Bicycle 'D' Lock	275mm	155mm	181mm	94mm	5012245036978	BOX	1
				Length when open		Link thickness				
INIGMA FL1	BRONZE	8	Inigma Sold Secure Bronze Bicycle folding lock	800mm		5mm		5012245137828	BOX	1
				Chain length		Link diameter				
INIGMA IC1	BRONZE	8	Inigma Sold Secure Bronze Bicycle integrated lock and chain	800mm		8mm		5012245037814	BOX	1

**WORK**

**Introduction**



## WORK

@Work includes our flagship **Stronghold**® range, great for securing warehouses, shipping containers, or heavy machinery. We've also got more portable locks for toolboxes or vans.

### Product usage

- Trade use
- Toolbox
- Container
- Commercial vehicle
- Outbuilding / warehouse
- Security gate
- Garage forecourt

### Why choose WORK

- Heavy-duty
- Precision **Stronghold**® locks
- Super-tough rust and storm-proofed
- Guaranteed 10 years
- Thief-proof tested

### Security rating

maximum 6-10

### Squire WORK models

- **Stronghold**®
- **Stronghold**® Combi
- **Mercury**
- **Warrior**™ Key
- **Warrior**™ Combi
- SHCB Combination
- CBW85
- Padbars & high security hasps
- High security chains



# Stronghold® Padlock Range



## Stronghold® range of extra high security padlocks

A range of super-tough, high security padlocks tested to the limits in-house and approved by independent accreditation bodies CEN, LPCB, Sold Secure and Secured by Design. Made in Britain, these padlocks come in a variety of body widths and shackle versions.

### Features

Hardened boron alloy steel shackle

Solid hardened steel lock body

Electrophoretic anti-corrosion finish

6 pin cylinder - over 250,000 key differs

Anti-drill protection

Protective dust cover



Stronghold® products are now available with Elite dimple pin key as standard



CEN approved grades 3-6



Official Police Security Initiative



Boron steel shackle



Stronghold® Range



CEN Approved

Tested to European CEN standards for padlock and padbar fittings BS EN12320

CEN Ratings

SS100CS	CEN6	SS50CS	CEN4
SS100S	CEN6	SS50S	CEN4
SS80CS	CEN6	SS50S/2.5	CEN4
SS80S	CEN6	SS50CP5	CEN3
SS65CS	CEN6	SS50P5	CEN3
SS65S/2.5	CEN5	SS50P5/2.5	CEN3
SS65S	CEN5	WS75S	CEN4
SS65HE	CEN5	SS55HE	CEN3
SS65/2.5HE	CEN5	SS55/2.5HE	CEN3

'E' variants have the same accreditation as 'S' versions.  
Scan Ovals have the same accreditations as 'S' versions.  
Marine versions also have CEN accreditations, see page 16.

Pinning kit available to masterkey and key alike 6 pin models. Separate pinning kit available to masterkey and key alike 5 pin models. Details available page 20.

Stronghold® SS100

The world's strongest production padlock

The SS100S and SS100CS are the latest additions to the **Stronghold®** Range.

Designed as the world's strongest production padlock, the SS100 is the first padlock to achieve LPCB SR4 (Loss Prevention Certification Board) approval.

This outstanding British made heavy duty padlock - which is capable of a tensile pull of over 20 tonnes - has been approved to LPCB's standard LPS 1654: Issue 1.0 security rating classification SR4.

Squire's **Stronghold®** SS100CS features a 4.3kg solid steel lock body and 20mm diameter hardened boron steel shackle.

LPCB Approved

One of the challenges of making buildings safe and secure, is selecting and installing fire safety and security products that actually do what they claim. The Loss Prevention Certification Board (LPCB) has been working with industry and government for more than 100 years to set the standards needed to ensure that security products perform effectively. LPCB offers third-party approval confirming that products meet these standards.

The SS100S and SS100CS meet LEV4. Under the current testing regime this is the highest level that any padlock can achieve when tested on its own. The SS80S and SS80CS meet LEV3. SS65S LEV3 and SS65CS LEV3 are enhanced versions of the standard padlocks which meet LEVEL 3 of the new LPS Standards for Standalone padlocks.

The SS65S LEV3 and SS65CS LEV3 meets LPS 1654 Issue 1, Security rating 3, Certificate number 1179a/02.

The standard SS50S and SS50CS meet LPS 1654 Issue 1, Security rating 2, Certificate number 1179a/01.

Several products now meet LPCB LPS 1654 Issue 1.

<b>SR4</b>	<b>SR3</b>	<b>SR2</b>
SS100CS	SS80CS	SS50CS
SS100S	SS80S	SS50S
	SS65CS LEV3	
	SS65S LEV3	

Stronghold® padlocks - SS100

MADE IN BRITAIN



The Stronghold® SS100<sup>NEW</sup>  
THE WORLD'S STRONGEST PADLOCK




The first padlock ever to achieve LPCB Level SR4  
LPCB's highest padlock accreditation


These massive, super-heavyweight padlocks are the newest addition to the Stronghold® range.

Features

- 100mm wide solid hardened steel lock body
- Open and closed shackle versions, SS100CS weighs 4.3kg
- 20mm diameter hardened boron alloy steel flying shackle
- Accredited to LPCB Level SR4 and CEN 6
- SS100CS with 22mm chain approved to Sold Secure Motorcycle Diamond standard
- Dual key operated, ideal for supervised use
- Two 6 pin cylinders, choice of same cylinder or keyed to differ, both can be keyed alike or master keyed
- Anti-drill protection
- Electrophoretic anti-corrosion finish
- Protective dust cover
- Tensile pull tested to 24 tonnes (independently verified)



Stronghold® Range



**THE WORLD'S STRONGEST PADLOCK**  
Stronghold® SS100 range - 100mm wide body



SS100S

SS100CS

Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS100CS	SR4	CEN 6	10	WORK	100mm Close Shackle comes with 2 same key cylinders	100	62	20	33	28	5012245 038149	KB P6	BOX	1	■
SS100CS/KD	SR4	CEN 6	10	WORK	100mm Close Shackle comes with 2 differ key cylinders	100	62	20	33	28	5012245 038170	KB P6	BOX	1	■
SS100S	SR4	CEN 6	10	WORK	100mm Open Shackle comes with 2 same key cylinders	100	62	20	40	48	5012245 038088	KB P6	BOX	1	■
SS100S/KD	SR4	CEN 6	10	WORK	100mm Open Shackle comes with 2 differ key cylinders	100	62	20	40	48	5012245 038118	KB P6	BOX	1	■
SS100CS/KA	SR4	CEN 6	10	WORK	100mm Close Shackle comes with 2 same key cylinders KA	100	62	20	33	28	5012245 038156	KB P6	BOX	1	
SS100CS/KD/KA	SR4	CEN 6	10	WORK	100mm Close Shackle comes with 2 differ key cylinders KA	100	62	20	33	28	5012245 038187	KB P6	BOX	1	
SS100S/KA	SR4	CEN 6	10	WORK	100mm Open Shackle comes with 2 same key cylinders KA	100	62	20	40	48	5012245 038095	KB P6	BOX	1	
SS100S/KD/KA	SR4	CEN 6	10	WORK	100mm Open Shackle comes with 2 differ key cylinders KA	100	62	20	40	48	5012245 038125	KB P6	BOX	1	

Stronghold® SS80 range - 80mm wide body

Restricted profile available  
MK denotes master keyed available



SS80S

SS80CS


SS80CS	SR3	CEN 6	10	WORK	80mm Closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	5012245035674	KB P6	BLISTER	1	■
SS80CS/E1/SD		CEN 6	10	WORK	80mm Closed shackle steel lock 6 pin Elite Dimple cylinder	80	40	16	25	23.5	5012245040579	CYKEY/E1/BL	BOX	1	■
SS80S	SR3	CEN 6	10	WORK	80mm Open shackle steel lock 6 pin S cylinder	80	40	16	32	32	5012245035681	KB P6	BLISTER	1	■
SS80S/E1/SD		CEN 6	10	WORK	80mm Open shackle steel lock 6 pin Elite Dimple cylinder	80	40	16	32	32	5012245040562	CYKEY/E1/BL	BOX	1	■
SS80CSKA	SR3	CEN 6	10	ORK	80mm KA Closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	Special	KB P6	BOX	1	
SS80CS/E1/KA		CEN 6	10	WORK	80mm KA Closed shackle steel lock 6 pin Elite Dimple cylinder	80	40	16	25	23.5	Special	CYKEY/E1/BL	BOX	1	
SS80SKA	SR3	CEN 6	10	WORK	80mm KA Open shackle steel lock 6 pin S cylinder	80	40	16	32	32	Special	KB P6	BOX	1	
SS80S/E1/KA		CEN 6	10	WORK	80mm KA Open shackle steel lock 6 pin Elite Dimple cylinder	80	40	16	32	32	Special	CYKEY/E1/BL	BOX	1	

Restricted profile available  
MK denotes master keyed available



New Stronghold® SS100 POS board

The **SS100** is the newest addition to Squire's **Stronghold®** range. These stunning locks are now available on a Point of Sale, merchandiser board. Both versions, the open and closed version are displayed, fixed to a strong bracket. The board comes with 'J' Hooks supplied and loops prefixed to the back of the board for easy installation. Please contact your Squire representative for more details.



Stronghold® SS65 range - 65mm wide body



Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS65CS		CEN 6	10	WORK	65mm Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	5012245003918	KB P6	BLISTER	3	■
SS65CS BOXED		CEN 6	10	WORK	65mm Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS65CS/E1/SD		CEN 6	10	WORK	65mm Closed shackle steel lock 6 pin Elite Dimple cylinder	65	31.8	12.7	19	19	5012245040548	CYKEY/E1/BL	BOX	1	■
SS65CS LEV3	SR3	CEN 6	10	WORK	65mm Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	5012245003918	KB P6	BLISTER	3	■
SS65S		CEN 5	10	WORK	65mm Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	5012245003994	KB P6	BLISTER	3	■
SS65S BOXED		CEN 5	10	WORK	65mm Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	KB P6	BOX	1	
SS65S/E1/SD		CEN 5	10	WORK	65mm Open shackle steel lock 6 pin Elite Dimple cylinder	65	31.8	12.7	29	29.5	5012245040531	CYKEY/E1/BL	BOX	1	■
SS65S LEV3	SR3	CEN 5	10	WORK	65mm Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	5012245003994	KB P6	BLISTER	3	■
SS65S/2.5		CEN 5	10	WORK	65mm 2.5" Long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65	29.5	Special	KB P6	BOX	1	■
SS65S/2.5/E1/SD		CEN 5	10	WORK	65mm 2.5" Long shackle steel lock 6 pin Elite Dimple cylinder	65	31.8	12.7	65	29.5	5012245040555	CYKEY/E1/BL	BOX	1	■
SS65S/F/SHACKLE		CEN 5	10	WORK	65mm Open Flying shackle lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	KB P6	BOX	1	
SS65CSKA		CEN 6	10	WORK	65mm KA Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS65CS/E1/KA		CEN 6	10	WORK	65mm KA Closed shackle steel lock 6 pin Elite Dimple cylinder	65	31.8	12.7	19	19	Special	CYKEY/E1/BL	BOX	1	
SS65SKA		CEN 5	10	WORK	65mm KA Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	KB P6	BOX	1	
SS65S/E1/KA		CEN 5	10	WORK	65mm KA Open shackle steel lock 6 pin Elite Dimple cylinder	65	31.8	12.7	29	29.5	Special	CYKEY/E1/BL	BOX	1	
SS65S/2.5KA		CEN 5	10	WORK	65mm KA 2.5" Long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65	29.5	Special	KB P6	BOX	1	
SS65S/2.5/E1/KA		CEN 5	10	WORK	65mm KA 2.5" Long shackle steel lock 6 pin Elite Dimple cylinder	65	31.8	12.7	65	29.5	Special	CYKEY/E1/BL	BOX	1	

**Stronghold® SS50 range - 50mm wide body**



SS50S



SS50CS



SS50S/2.5

Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS50CS	SR2	CEN 4	9	WORK	50mm Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	5012245003413	KB P6	BLISTER	4	■
SS50CS BOXED	SR2	CEN 4	9	WORK	50mm Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/E1/SD		CEN 4	9	WORK	50mm Closed shackle steel lock 6 pin Elite Dimple cylinder	50	26	10	16	16	5012245040517	CYKEY/E1/BL	BOX	1	■
SS50S	SR2	CEN 4	9	WORK	50mm Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	5012245003420	KB P6	BLISTER	4	■
SS50S BOXED	SR2	CEN 4	9	WORK	50mm Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	Special	KB P6	BOX	1	
SS50S/E1/SD		CEN 4	9	WORK	50mm Open shackle steel lock 6 pin Elite Dimple cylinder	50	26	10	26	22	5012245040500	CYKEY/E1/BL	BOX	1	■
SS50S 8mm		CEN 3	8	WORK	8mm shackle/50mm Open shackle steel lock 6 pin S cylinder	50	26	8	26	24	Special	KB P6	BOX	1	■
SS50S/2.5		CEN 4	9	WORK	50mm 2.5" Long shackle steel lock 6 pin S cylinder	50	26	10	65	22	5012245006049	KB P6	BLISTER	4	■
SS50S/2.5/E1/SD		CEN 4	9	WORK	50mm 2.5" Long shackle steel lock 6 pin Elite Dimple cylinder	50	26	10	65	22	5012245040524	CYKEY/E1/BL	BOX	1	■
SS50CP5		CEN 3	8	WORK	50mm Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	5012245007763	KB P5	BLISTER	4	■
SS50CP5 BOXED		CEN 3	8	WORK	50mm Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	Special	KB P6	BOX	4	
SS50P5		CEN 3	8	WORK	50mm Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	5012245007756	KB P5	BLISTER	4	■
SS50P5 BOXED		CEN 3	8	WORK	50mm Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	Special	KB P6	BOX	1	
SS50P5/2.5		CEN 3	8	WORK	50mm 2.5" Long shackle steel lock P5 (5 pin) cylinder	50	26	10	65	22	5012245009996	KB P5	BLISTER	4	■
SS50CSKA	SR2	CEN 4	9	WORK	50mm KA Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/E1/KA		CEN 4	9	WORK	50mm KA Closed shackle steel lock 6 pin Elite Dimple cylinder	50	26	10	16	16	Special	CYKEY/E1/BL	BOX	1	
SS50SKA	SR2	CEN 4	9	WORK	50mm KA Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	Special	KB P6	BOX	1	
SS50S/E1/KA		CEN 4	9	WORK	50mm KA Open shackle steel lock 6 pin Elite Dimple cylinder	50	26	10	26	22	Special	CYKEY/E1/BL	BOX	1	■
SS50S 8mm KA		CEN 3	8	WORK	8mm shackle/50mm KA Open shackle steel lock 6 pin S cylinder	50	26	8	26	24	Special	KB P6	BOX	1	
SS50S/2.5KA		CEN 4	9	WORK	50mm KA 2.5" Long shackle steel lock 6 pin S cylinder	50	26	10	65	22	Special	KB P6	BOX	1	
SS50S/2.5/E1/KA		CEN 4	9	WORK	50mm KA 2.5" Long shackle steel lock 6 pin Elite Dimple cylinder	50	26	10	65	22	Special	CYKEY/E1/BL	BOX	1	
SS50CP5KA		CEN 3	8	WORK	50mm KA Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	
SS50P5KA		CEN 3	8	WORK	50mm KA Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	Special	KB P5	BOX	1	
SS50P5/2.5KA		CEN 3	8	WORK	50mm KA 2.5" Long shackle steel lock P5 (5 pin) cylinder	50	26	10	65	22	Special	KB P5	BOX	1	

**WORK**

**Stronghold® Range**


**MADE IN  
BRITAIN**





**new**

**Stronghold® SS45 - 45mm wide body**



Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
					A	B	C	D	E					
SS45		7	WORK	45mm open shackle steel lock 6 pin S cylinder	45	25	6	35.5	20	5012245008494	KB P6	BOX	1	■
SS45KA		7	WORK	45mm open shackle steel lock 6 pin S cylinder keyed alike	45	25	6	35.5	20	5012245008739	KB P6	BOX	1	

6mm shackle

SS45S

Restricted profile available  
MK denotes master keyed available

**Stronghold® SS50 Marine range - 50mm wide body**



SS50S  
MARINE

SS50CS  
MARINE



Rustproof  
shackle



Marine

SS50CS/MARINE	CEN 3	8	WORK	50mm Closed Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	16	16	Special	KB P6	BOX	1	■
SS50S/MARINE	CEN 3	8	WORK	50mm Open Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	26	22	Special	KB P6	BOX	1	■
SS50CP5/MARINE	CEN 3	8	WORK	50mm Closed Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	■
SS50P5/MARINE	CEN 3	8	WORK	50mm Open Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	26	22	Special	KB P5	BOX	1	■
SS50CS/MARINE/KA	CEN 3	8	WORK	50mm Closed Stainless steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	16	16	Special	KB P6	BOX	1	
SS50S/MARINE/KA	CEN 3	8	WORK	50mm Open Stainless steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	26	22	Special	KB P6	BOX	1	
SS50CP5/MARINE/KA	CEN 3	8	WORK	50mm Closed Stainless steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	16	16	Special	KB P5	BOX	1	
SS50P5/MARINE/KA*	CEN 3	8	WORK	50mm Open Stainless steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	26	22	Special	KB P5	BOX	1	

6 pin versions available with restricted profile  
MK denotes master keyed

## Stronghold® integration with high security lock cylinders

Create keyed alike and master keyed suites using a range of cylinder types and profiles

Create keyed alike and master keyed suites using a range of cylinder types and profiles (excluding NW4).

Bringing locksmiths absolute flexibility when deciding what level of security your clients need.

Stronghold® padlocks easily accept Euro profile and Scandinavian oval cylinders and they accept NW4, Elite dimple pin, Stronghold® Protected and Restricted cylinders.



### NW4 New Wave - Stronghold® KIK cylinder - extra high security

A new cylinder that takes advantage of the latest manufacturing techniques. The New Wave NW4 cylinder has a complex anti-drill construction and also offers protection from bumping, drilling and picking.

- Reversible key 10 pins plus 4 wave technique
- Over 2 million key differs
- 2 keys with code number and key code registration card
- Patented until 2027, only on presentation of key code card will replacement keys be issued
- Anti plug extract
- NW4 system, including 4 types of decoding elements: a roller in the key - basic active row of pins; side row of pins; a wave channel in the key
- Anti-bumping and anti-drilling protection
- Ergonomic plastic keybow



### Stronghold® protected range

The Squire Stronghold® protected profile provides the answer to the ever-increasing awareness of protected systems. Guarantees that a copy of the key can never be cut unless authorised by the user.

- High quality 6 pin locking system with nickel silver pins
- 530,000 keying differs
- Security key card protected, complete control over key blanks
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- High wear resistance
- Supplied with 2 nickel silver keys
- Can be supplied master keyed or keyed alike

Cylinder Type	Padlock Type
STRONGHOLD - NW4	Surcharge SS100 Surcharge SS80, 65, 50, 45, WS75
STRONGHOLD - Protected	Surcharge SS100 Surcharge SS80, 65, 50, 45, WS75
STRONGHOLD - Restricted	Surcharge SS100 Surcharge SS80, 65, 50, 45, WS75
STRONGHOLD - Elite 1	Surcharge SS100 Surcharge SS80, 65, 50, 45, WS75
STRONGHOLD - Elite 1C Restricted	Surcharge SS100 Surcharge SS80, 65, 50, 45, WS75

Master Keyed and Keyed Alike available to special order. Please ask for pricing and delivery details.



**Stronghold® restricted range**

The Squire **Stronghold®** restricted profile provides you with a secure method of controlling the copying of your cut keys. Capable of coping with large master key systems and the high usage demands put on the individual cylinder. It can also provide locksmiths with the luxury of their own profile.

- High quality 6 pin locking system with nickel silver pins
- 530,000 keying differs
- Restricted multiple profiles - security key card protected
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- Nickel plated core (nickel finish cylinders only)
- High wear resistance
- Supplied with 2 nickel silver keys
- Can be supplied master keyed or keyed alike
- The system is protected by a security card which must be produced in order to have a copy key cut

Now available as standard at no extra cost



**Stronghold® Elite 1™ cylinder range**  
Dimple pin key system

The Squire **Stronghold®** Elite 1™ dimple system combines a conventional sawtooth key system with a dimple system.

- High quality 6 pin locking system with nickel plated pins
- 470,000 keying differs
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- Nickel plated core
- High wear resistance
- Supplied with 2 nickel silver Squire keys
- Can be supplied master keyed or keyed alike
- Can be fully integrated into our existing **Stronghold®** 6 pin key systems
- Key blanks are available
- Keys can be cut on all laser and dimple key cutting machines



**Stronghold® Elite 1C™ restricted cylinder range**  
Dimple pin key system

The Squire **Stronghold®** Elite 1™ dimple system combines a conventional saw tooth key system with a dimple system.

- High quality 6 pin locking system with nickel plated pins
- 470,000 keying differs
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- Nickel plated core
- High wear resistance
- Supplied with 2 nickel silver Squire keys
- Can be supplied master keyed or keyed alike
- Can be fully integrated into our existing **Stronghold®** 6 pin key systems
- Keys can be cut on all laser and dimple key cutting machines
- The system is protected by a security card which must be produced in order to have a copy key cut

## Stronghold® padlocks - WS75

### Stronghold® WS75 container lock

**Features**

12mm hardened boron alloy steel shackle




80mm solid hardened steel lock body

Electrophoretic finish - anti-corrosion resistance

Rekeyable 6 pin tumbler lock mechanism - over 260,000 key differs

Anti-bump, anti-pick, highly attack resistant

Key section can be upgraded to restricted or protected profile offering over 530,000 key differs




### Stronghold® WS75

Code	CEN	Security Rating	@	Description	Dimensions mm						Barcode	Key Blank	Pack Type	Min Qty	MK
					A	B	C	D	E	F					
WS75S	CEN 4	9	WORK	Container lock 6 pin S cylinder	80	26	12	14	27	65	5012245029666	KB P6	BLISTER	1	■
WS75 BOXED	CEN 4	9	WORK	Container lock 6 pin S cylinder	80	26	12	14	27	65	Special	KB P6	BOX	1	
WS75S/E1/SD	CEN 4	9	WORK	Container lock 6 pinElite Dimple cylinder	80	26	12	14	27	65	5012245040425	CYKEY/E1/BL	BOX	1	■
WS75SKA	CEN 4	9	WORK	KA Container lock 6 pin S cylinder	80	26	12	14	27	65	Special	KB P6	BOX	1	
WS75S/E1/KA	CEN 4	9	WORK	KA Container lock 6 pin Elite Dimple cylinder	80	26	12	14	27	65	Special	CYKEY/E1/BL	BOX	1	

Restricted profile available  
MK denotes master keyed available



# Stronghold® Combination Range



## Stronghold® SS50 and SS50CS Combi



Code	Security Rating	@	Description	Dimensions mm					Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C	D	E				
SS50C/COMBI	8	WORK	5 Wheel C/S Combi Hardened steel c/w weather cover	55	30	10	14	16	5012245028706	100,000	BLISTER	2
SS50C/COMBI BOXED	8	WORK	5 Wheel C/S Combi Hardened steel c/w weather cover	55	30	10	14	16	Special	100,000	BOX	1
SS50/COMBI	8	WORK	5 Wheel O/S Combi Hardened steel c/w weather cover	55	30	10	24	22	5012245028690	100,000	BLISTER	2
SS50/COMBI BOXED	8	WORK	5 Wheel O/S Combi Hardened steel c/w weather cover	55	30	10	24	22	Special	100,000	BOX	1
SS50/2.5/COMBI	8	WORK	5 Wheel Long Shackle Combi Hardened steel c/w weather cover	55	30	10	64	22	Special	100,000	BOX	1



## SHCB High Security Recodable Padlocks

Code	Security Rating	@	Description	A	B	C	D	E	Barcode	Number of Combinations	Pack Type	Min Qty
SHCB65	6	WORK	65mm Combination Block Lock 4 wheel	65	19	11	15	20	5012245009026	10,000	BLISTER	4
SHCB65 BX	6	WORK	65mm Combination Block Lock 4 wheel - Boxed	65	19	11	15	20	Special	10,000	BOX	1
SHCB75	7	WORK	75mm Combination Block Lock 5 wheel	75	19	12.7	15	20	5012245009033	100,000	BLISTER	4
CBW85	7	WORK	85mm Wide Clearance Combination Block Lock 5 wheel	85	19	12.7	17	37	5012245008654	100,000	BLISTER	4
CBW85 BX	7	WORK	85mm Wide Clearance Combination Block Lock 5 wheel - Boxed	85	19	12.7	17	37	Special	100,000	BOX	1
SHCB65/Chain	6	WORK	65mm 4 wheel combi c/w chain attachment (2.4mm x 305mm)	65	19	11	15	20	Special	10,000	BOX	1
SHCB75/Chain	7	WORK	75mm 5 wheel combi c/w chain attachment (2.4mm x 305mm)	75	19	12.7	15	20	Special	100,000	BOX	1
CBW85/Chain	7	WORK	Wide Clearance 5 wheel combi, chain attached (2.4mm x 305mm)	85	19	12.7	17	37	Special	100,000	BOX	1



## Stronghold® Security fittings - CEN Grade



Code	CEN	LPCB	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
						A	B	C	Staple Clearance	Bolt Dia				
STH100	CEN 6	SR4*	10	WORK	Hardened Stronghold Padbar - CEN 6 for SS100CS only	184	86	32	n/a	18	5012245038828	n/a	BOX	1
STH1	CEN 6		10	WORK	Hardened Stronghold Padbar - CEN 6	184	86	32	16	18	5012245007770	n/a	BOX	1
STH3	CEN 4		9	WORK	Extra High Security hardened steel Hasp & Staple - CEN 4	231	76	52.5	13	18	5012245038064	n/a	BLISTER	1

Please note that the STH100 is only rated LPCB SR4 when used in combination with an SS100CS padlock

# Products for locksmiths

## Stronghold® Half Euro padlocks NEW

Accepts a Half Euro cylinder with no modification

- Create your own suite of padlocks using adjustable cam 45mm Half Euro cylinders
- Cylinders need no extra modifications
- Quick and easy process
- Very high specification locks using Squire's **Stronghold®** range of CEN grade locks\*. No compromise on quality
- Two body widths available, 65mm and 55mm, in open shackle and long shackle variants
- Electrophoretic finish for anti-corrosion resistance



SS65HE



SS55HE


### Stronghold® Half Euro padlock range

Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Pack Type	Min Qty
					A	B	C	D	E			
SS65HE	CEN 5	10	WORK	65mm open shackle steel lock accepts Half Euro cylinder	65	32	12.7	29	29	5012245037630	BOX	1
SS65S/2.5HE	CEN 5	10	WORK	65mm 2.5" long shackle steel lock accepts Half Euro cylinder	65	32	12.7	65	29	Special	BOX	1
SS55SHE	CEN 3	9	WORK	55mm open shackle steel lock accepts Half Euro cylinder	55	25	10	26	22	5012245037623	BOX	1
SS55S/2.5HE	CEN 3	9	WORK	55mm 2.5" long shackle steel lock accepts Half Euro cylinder	55	25	10	64	22	Special	BOX	1

## Stronghold® Scandinavian oval padlocks NEW

Accepts a Scandinavian oval cylinder with no modification

- Create your own suite of padlocks using Scandinavian oval cylinders
- Padlocks need no extra modifications.
- Quick and easy process
- Very high specification locks using Squire's **Stronghold®** range of CEN grade locks\*. No compromise on quality
- Three body widths available, 80mm, 65mm and 50mm, in open shackle and long shackle variants
- For scan oval padlock with Tang add FCAM to product code, or scan oval padlock with slot add MCAM to product code
- Electrophoretic finish for anti-corrosion resistance



## Stronghold® Euro profile padlocks

Original SS65E and SS50EM ranges  
The **original** Squire Euro profile range - accepts a Half Euro cylinder **with** modification




The Europrofile 'E' and 'EM' ranges are the original Squire locks designed for fitment of a modified 71mm double Europrofile cylinder. The 'E' Range for 65mm padlocks and the 'EM' Range for 50mm padlocks differ in that the module used to hold the Euro profile cylinder is slightly different.

- Create your own suite of padlocks using modified Euro cylinders
- Can use same modified cylinder in SS50EM, SS50CEM, SS65E, SS65CE padlocks
- Integrate **Stronghold®** padlocks with any existing key system
- Supplied body only
- No need to drill into modified cylinder
- Electrophoretic finish for anti-corrosion resistance



\*Padlock CEN grade applies to padlock on its own. Your Half Euro cylinder will affect this rating.



Solid Steel - Euro Versions - body only - accepts modified half Euro



'E' and 'EM' Versions

Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Pack Type	Min Qty
					A	B	C	D	E			
SS65CE	CEN 6	10	WORK	65mm Euro Body C/S - Accepts 1/2 modified 71 Euro Double	65	31.8	12.7	19	19	5012245005073	BOX	1
SS65E	CEN 5	10	WORK	65mm Euro Body O/S - Accepts 1/2 modified 71 Double Euro	65	31.8	12.7	29	29.5	5012245008494	BOX	1
SS65E/2.5	CEN 5	10	WORK	65mm Euro Body 2.5" L/S - Accepts 1/2 modified 71 Euro Double	65	31.8	12.7	65	29.5	Special	BOX	1
SS50CEM	CEN 4	9	WORK	50mm Euro Body C/S - Accepts 1/2 modified 71 Euro Double	50	26	10	16	16	5012245008746	BOX	1
SS50EM	CEN 4	9	WORK	50mm Euro Body O/S - Accepts 1/2 modified 71 Double Euro	50	26	10	26	22	5012245008739	BOX	1
SS50EM/2.5	CEN 4	9	WORK	50mm Euro Body 2.5" L/S - Accepts 1/2 modified 71 Euro Double	50	26	10	65	22	5012245008753	BOX	1
SS50CEM/MARINE	CEN 3	8	WORK	Euro Body Marine C/S - Accepts 1/2 modified 71 Euro Double Stainless Steel Shackle	50	26	10	16	16	Special	BOX	1
SS50EM/MARINE	CEN 3	8	WORK	Euro Body Marine O/S - Accepts 1/2 modified 71 Double Euro Stainless Steel Shackle	50	26	10	26	22	Special	BOX	1

\*Padlock CEN grade applies to padlock on its own. Your Half Euro cylinder will affect this rating.

Stronghold® Scandinavian oval padlock range



SS65C/SCAN/MCAM	CEN 6	10	WORK	SS65C padlock B/O to accept Scan Oval with Slot	65	31.8	12.7	19	19	5012245037746	BOX	1
SS65C/SCAN/FCAM	CEN 6	10	WORK	SS65C padlock B/O to accept Scan Oval with Tang	65	31.8	12.7	19	19	5012245037753	BOX	1
SS65/SCAN/MCAM	CEN 5	10	WORK	SS65 padlock B/O to accept Scan Oval with Slot	65	31.8	12.7	29	29	5012245037708	BOX	1
SS65/SCAN/FCAM	CEN 5	10	WORK	SS65 padlock B/O to accept Scan Oval with Tang	65	31.8	12.7	29	29	5012245037715	BOX	1
SS65/2.5/SCAN/MCAM	CEN 5	10	WORK	SS65 2.5 padlock B/O to accept Scan Oval with Slot	65	31.8	12.7	64	29	5012245037722	BOX	1
SS65/2.5/SCAN/FCAM	CEN 5	10	WORK	SS65 2.5 padlock B/O to accept Scan Oval with Tang	65	31.8	12.7	64	29	5012245037739	BOX	1
SS50C/SCAN/MCAM	CEN 4	9	WORK	SS50C padlock B/O to accept Scan Oval with Slot	50	26	10	16	16	5012245037685	BOX	1
SS50C/SCAN/FCAM	CEN 4	9	WORK	SS50C padlock B/O to accept Scan Oval with Tang	50	26	10	16	16	5012245037692	BOX	1
SS50/SCAN/MCAM	CEN 4	9	WORK	SS50 padlock B/O to accept Scan Oval with Slot	50	26	10	26	22	5012245037647	BOX	1
SS50/SCAN/FCAM	CEN 4	9	WORK	SS50 padlock B/O to accept Scan Oval with Tang	50	26	10	26	22	5012245037654	BOX	1
SS50/2.5/SCAN/MCAM	CEN 4	9	WORK	SS50 2.5 padlock B/O to accept Scan Oval with Slot	50	26	10	64	22	5012245037661	BOX	1
SS50/2.5/SCAN/FCAM	CEN 4	9	WORK	SS50 2.5 padlock B/O to accept Scan Oval with Tang	50	26	10	64	22	5012245037678	BOX	1

\*Padlock CEN grade applies to padlock on its own. Your Scan Oval cylinder will affect this rating.

# Warrior® Range

A heavy duty, high specification range of combination padlocks.

They don't get much tougher than our new range of heavy duty, high performance Warrior padlocks available in a vast range body widths and shackle types. The armoured steel body, boron shackle and protective cover make these Warriors hard to beat.

## Warrior® Combi Range - Features

Hardened **Boron** steel shackle with Satin Chrome finish


Armoured steel body

45 and 55 versions have 4 Wheels 10,000 combinations

65 versions have 5 wheels 100,000 combinations

Ergonomic designed wheels for ease of use - Fully recodable

Patented




**Boron steel shackle**





Warrior® Combi Range



Open Shackle

Code	Security Rating	@	Description	Dimensions mm					Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C	D	E				
WARRIOR COMBI 65	8	WORK	5 Wheel 65mm Open shackle Combination padlock	65	39	12	30	28	5012245035797	100,000	BLISTER	4
WARRIOR COMBI 55	7	WORK	4 Wheel 55mm Open shackle Combination padlock	55	32	10	25	23	5012245035827	10,000	BLISTER	4
WARRIOR COMBI 55 BX	7	WORK	4 Wheel 55mm Open shackle Combination padlock - Boxed	55	32	10	25	23	Special	10,000	BOX	1
WARRIOR COMBI 45	6	WORK	4 Wheel 45mm Open shackle Combination padlock	45	25	8	20	18	5012245035858	10,000	BLISTER	6
WARRIOR COMBI 45 BX	6	WORK	4 Wheel 45mm Open shackle Combination padlock - Boxed	45	25	8	20	18	Special	10,000	BOX	1

Closed Shackle

WARRIOR COMBI 65C	9	WORK	5 Wheel 65mm Closed shackle Combination padlock	65	39	12	25	23	5012245035780	100,000	BLISTER	4
WARRIOR COMBI 55C	8	WORK	4 Wheel 55mm Closed shackle Combination padlock	55	32	10	19	19	5012245035810	10,000	BLISTER	6
WARRIOR COMBI 55C BX	8	WORK	4 Wheel 55mm Closed shackle Combination padlock - Boxed	55	32	10	19	19	Special	10,000	BOX	1
WARRIOR COMBI 45C	7	WORK	4 Wheel 45mm Closed shackle Combination padlock	45	25	8	15	15	5012245035841	10,000	BLISTER	6
WARRIOR COMBI 45C BX	7	WORK	4 Wheel 45mm Closed shackle Combination padlock - Boxed	45	25	8	15	15	Special	10,000	BOX	1

Long Shackle

WARRIOR COMBI 65/2.5	8	WORK	5 Wheel 65mm 2.5" Long shackle Combination padlock	65	39	12	63	28	5012245035803	100,000	BLISTER	4
WARRIOR COMBI 55/2.5	7	WORK	4 Wheel 55mm 2.5" Long shackle Combination padlock	55	32	10	63	23	5012245035834	10,000	BLISTER	6
WARRIOR COMBI 45/2.5	6	WORK	4 Wheel 45mm 2.5" Long shackle Combination padlock	45	25	8	63	18	5012245035865	10,000	BLISTER	6

## Warrior® Key Range

A heavy duty, high specification range of key operated padlocks.

These uniquely designed padlocks offer a medium to high level of security. They come in 3 body widths 45mm, 55mm and 65mm and within each size, open shackle, closed shackle and long shackle variants are available. They can be supplied Keyed Alike upon request.



### Warrior® Range - Features





chromium manganese steel shackle

Hardened chromium manganese steel

Armoured steel body

5 pin cylinder



#### Open Shackle




WAR65 WAR55



WAR45

Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
					A	B	C	D	E				
WARRIOR 65	CEN 3	8	WORK	65mm Open shackle steel padlock 5 pin cylinder	65	34	12	30	24	5012245035704	KB P5	BLISTER	4
WARRIOR 65 BX	CEN 3	8	WORK	65mm Open shackle steel padlock 5 pin cylinder - Boxed	65	34	12	30	24	Special	KB P5	BOX	1
WARRIOR 55	CEN 3	7	WORK	55mm Open shackle steel padlock 5 pin cylinder	55	34	10	30	24	5012245035735	KB P5	BLISTER	6
WARRIOR 55 BX	CEN 3	7	WORK	55mm Open shackle steel padlock 5 pin cylinder - Boxed	55	34	10	30	24	Special	KB P5	BOX	1
WARRIOR 45	CEN 2	6	WORK	45mm Open shackle steel padlock 5 pin cylinder	45	26	8	20	20	5012245035766	KB P5	BLISTER	6
WARRIOR 45 BX	CEN 2	6	WORK	45mm Open shackle steel padlock 5 pin cylinder - Boxed	45	26	8	20	20	Special	KB P5	BOX	1
WARRIOR 65 KA	CEN 3	8	WORK	65mm KA Open shackle steel padlock 5 pin cylinder	65	34	12	30	24	Special	KB P5	BOX	1
WARRIOR 55 KA	CEN 3	7	WORK	55mm KA Open shackle steel padlock 5 pin cylinder	55	34	10	30	24	Special	KB P5	BOX	1
WARRIOR 45 KA	CEN 2	6	WORK	45mm KA Open shackle steel padlock 5 pin cylinder	45	26	8	20	20	Special	KB P5	BOX	1



## Warrior® Key Range

### Closed Shackle



WAR65CS      WAR55CS



WAR45CS



WAR65/2.5      WAR55/2.5




WAR45/2.5

Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
					A	B	C	D	E				
<b>WARRIOR 65C</b>	CEN 3	9	WORK	65mm Closed shackle steel padlock 5 pin cylinder	65	34	12	27	16	5012245035698	KB P5	BLISTER	4
<b>WARRIOR 65C BX</b>	CEN 3	9	WORK	65mm Closed shackle steel padlock 5 pin cylinder - Boxed	65	34	12	27	16	Special	KB P5	BOX	1
<b>WARRIOR 55C</b>	CEN 3	8	WORK	55mm Closed shackle steel padlock 5 pin cylinder	55	34	10	17	15	5012245035728	KB P5	BLISTER	6
<b>WARRIOR 55C BX</b>	CEN 3	8	WORK	55mm Closed shackle steel padlock 5 pin cylinder - Boxed	55	34	10	17	15	Special	KB P5	BOX	1
<b>WARRIOR 45C</b>	CEN 2	7	WORK	45mm Closed shackle steel padlock 5 pin cylinder	45	26	8	18	15	5012245035759	KB P5	BLISTER	6
<b>WARRIOR 45C BX</b>	CEN 2	7	WORK	45mm Closed shackle steel padlock 5 pin cylinder - Boxed	45	26	8	18	15	Special	KB P5	BOX	1
<b>WARRIOR 65C KA</b>	CEN 3	9	WORK	65mm KA Closed shackle steel padlock 5 pin cylinder	65	34	12	27	16	Special	KB P5	BOX	1
<b>WARRIOR 55C KA</b>	CEN 3	8	WORK	55mm KA Closed shackle steel padlock 5 pin cylinder	55	34	10	17	15	Special	KB P5	BOX	1
<b>WARRIOR 45C KA</b>	CEN 2	7	WORK	45mm KA Closed shackle steel padlock 5 pin cylinder	45	26	8	18	15	Special	KB P5	BOX	1

### Long Shackle

<b>WAR65/2.5</b>	CEN 3	8	WORK	65mm 2.5" Long shackle steel padlock 5 pin cylinder	65	34	12	63	24	5012245035711	KB P5	BLISTER	4
<b>WAR55/2.5</b>	CEN 3	7	WORK	55mm 2.5" Long shackle steel padlock 5 pin cylinder	55	34	10	63	24	5012245035742	KB P5	BLISTER	6
<b>WAR45/2.5</b>	CEN 2	6	WORK	45mm 2.5" Long shackle steel padlock 5 pin cylinder	45	26	8	63	20	5012245035773	KB P5	BLISTER	6
<b>WAR65/2.5 KA</b>	CEN 3	8	WORK	65mm KA 2.5" Long shackle steel padlock 5 pin cylinder	65	34	12	63	24	Special	KB P5	BOX	1
<b>WAR55/2.5 KA</b>	CEN 3	7	WORK	55mm KA 2.5" Long shackle steel padlock 5 pin cylinder	55	34	10	63	24	Special	KB P5	BOX	1
<b>WAR45/2.5 KA</b>	CEN 2	6	WORK	45mm KA 2.5" Long shackle steel padlock 5 pin cylinder	45	26	8	63	20	Special	KB P5	BOX	1

Warehouse Lock Range



ASWL1 ASWL2

Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
				A	B	C	D	E				
ASWL1	6	WORK	60mm Armoured Brass Block Lock (Small) 5 pin	60	25	10	12	22	5012245004250	KB P5	BLISTER	6
ASWL2	7	WORK	80mm Armoured Brass Block Lock (Large) 5 pin	80	30	11	15	29	5012245004267	KB P5	BLISTER	6
ASWL1KA	6	WORK	60mm KA Armoured Brass Block Lock (Small) 5 pin	60	25	10	12	22	Special	KB P5	BOX	1
ASWL2KA	7	WORK	80mm KA Armoured Brass Block Lock (Large) 5 pin	80	30	11	15	29	Special	KB P5	BOX	1



DCL1



DCL Range

Code	Security Rating	@	Description	A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
DCL1	6	WORK	70mm Disc style padlock 5 pin - anti-drill	70	27.5	9.5	17.5	17	5012245003666	KB P5	BLISTER	6
DCL1KA	6	WORK	KA Disc style padlock 5 pin - anti-drill	70	27.5	9.5	17.5	17	Special	KB P5	BOX	1

Lock Off



Code	Security Rating	@	Description	Dimensions mm			Shackle Clearance	Barcode	Pack Type	Min Qty
				A	B	C				
L4	N/A	WORK	Lock Off - 6 hole	42	120	9	10	5012245021165	BOX	1





# Combi-Bolt® 5

## Unique recodable locking bolt

5 Wheels - 100,000 Combinations

- Die cast lock body
- Steel bolt
- Recodable CombiBolt5 has 5 wheels giving 100,000 combinations
- No Keys to Lose
- One handed operation
- Security screws included in pack
- High pick resistance
- Patented
- Replaces a padlock and hasp & staple

### Uses

Sheds, cupboards, storage areas, cabinets, lockers

### New Combi-Bolt® POS board

The **Combi-Bolt®** range is a highly popular and successful group of products. All 5 versions of the **Combi-Bolt®** are displayed on the Point of sale board. The board is made from lightweight di-bond and comes with hanging brackets affixed for easy installation. All **Combi-Bolts®** are pre-fixed to the board with security head screws.



Can be coded alike




No keys to lose



Rustproof



All Weather



## Combi-Bolt5®

### Patented combination locking bolt

Code	Security Rating	@	Description	Dimensions mm			Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C				
COMBI5	5	WORK	150mm Combination Bolt blue die cast recodable	150	60	40	5012245035551	100,000	BLISTER	2

# Hasp and Staples



## NEW - STH100 Extra high security padbar

The new STH100 has been designed to be used only with the new SS100CS padlock. When used together these two very high specification products achieve LPCB Level 4.

The padbar body is made from a special hardened cast material and the hardened staple rotates for extra security making it more resistant to attack.

The STH100 is easy to fit and offers more protection than a normal hasp and staple.



Certified to  
LPS 1654: Issue 1  
Security Rating 4  
Cert. No. 1179b/01



Grades 6



# Hasp and Staples



## STH100 Padbar

- High security padbar with hardened hasp and staple
- Special hardened cast material - extremely strong
- Hardened rotating staple for extra resistance to attack
- For use only with the SS100CS Padlock
- LPCB Level 4 when used together



## STH1 Padbar

- High security padbar with hardened hasp and staple.
- Special hardened cast material - extremely strong.
- Easy to fit.
- Hardened rotating staple for extra resistance to attack



## STH3

- Hardened steel construction with anti-corrosion finish
- Hardened steel staple
- Nut and bolt fixing for added security
- Concealed fixings
- Sold Secure Security Padlock Fittings Silver
- Meets new building regulation requirement for out-buildings security



## No.8

- Hardened maxiclam
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors



STH100



STH1



## Stronghold® CEN Rated Padbars



\* LPCB Level 4 only when used in combination with a SS100CS padlock



Code	CEN	LPCB	Security Rating	@	Description	Dimensions mm			Staple Clearance	Fixing bolt diameter	Barcode	Pack Type	Min Qty
						A	B	C					
STH100	6	SR4*	10	WORK	Hardened Stronghold Padbar - CEN 6 for SS100CS only	184	86	32	n/a	18	5012245038828	BOX	1
STH1	6		10	WORK	Hardened Stronghold Padbar - CEN 6	184	86	32	16	18	5012245007770	BOX	1

## Hasp and Staples



STH3



NO.8



Code	CEN	Security Rating	@	Description	Dimensions mm			Staple Clearance	Barcode	Pack Type	Min Qty
					A	B	C				
STH3	4	9	WORK	Extra High Security hardened steel Hasp & Staple - CEN 4	231	76	52.5	13	5012245038064	BLISTER	1
NO.8		7	WORK	Hardened Maxiclam	216	54.2	38	25	5012245003284	BLISTER	2



High Security **Hardened Alloy Steel Chains - Sold Secure Approved** - Lock And Chain Sets



High Security **Hardened Alloy Steel Chains - Lock And Chain Sets**



# Lock and Chain Sets

## High Security Hardened Alloy Steel Chains - Sold Secure Approved - Lock And Chain Sets



Code	Security Rating	Sold Secure	Description	Link Diameter	Chain Length	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS100CS/TC22/5	10	Motorcycle	SS100CS padlock with hardened alloy chain	22	1500	100	62	20	33	28	5012245038835	KB P6	BOX	1	■
SS80CS/TC22/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	22	1500	80	40	16	25	24	5012245038842	KB P6	BOX	1	■
SS80CS/TC19/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	19	1500	80	40	16	25	24	5012245038859	KB P6	BOX	1	■
SS80CS/TC16/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	16	1500	80	40	16	25	24	5012245038866	KB P6	BOX	1	■
SS65CS/TC14/3	10	Motorcycle	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	KB P6	BOX	1	■
SS80CS/TC14/4	10	Motorcycle	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	KB P6	BOX	1	■
SS50CS/TC14/3	10	Motorcycle	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	KB P6	BOX	1	■
SS50CS/TC14/4	10	Motorcycle	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	KB P6	BOX	1	■
SS50CS/G4	9	Bicycle	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	KB P6	BOX	1	■
DCL1/J3	9	Bicycle	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB P6	BOX	6	
SS100CS/TC22/5/KA	10	Motorcycle	KA SS100CS padlock with hardened alloy chain	22	1500	100	62	20	33	28	Special	KB P6	BOX	1	
SS80CS/TC22/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	22	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS80CS/TC19/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	19	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS80CS/TC16/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	16	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS65CS/TC14/3KA	10	Motorcycle	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS65CS/TC14/4KA	10	Motorcycle	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS50CS/TC14/3KA	10	Motorcycle	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/TC14/4KA	10	Motorcycle	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/G4 KA	9	Bicycle	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	KB P6	BOX	1	

## High Security Hardened Alloy Steel Chains - Lock And Chain Sets

SS50S/G3	8	Bicycle	SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	5012245003536	KB P6	BOX	1	■
SS50COMBI/G3	8	Bicycle	SS50Combi Padlock with hardened alloy chain	10	915	55	30	10	22	22	5012245035872	n/a	BOX	1	
WARRIOR 65/G4	8	Bicycle	Warrior 65 Padlock with hardened alloy chain	10	1200	65	34	12	34	24	Special	KB P5	BOX	1	■
WARRIOR COMBI 65/G4	8	Bicycle	Warrior Combi 65 Padlock with hardened alloy chain	10	1200	65	39	12	25	23	Special	n/a	BOX	1	
VULCANP450/Y3	6	Bicycle	Vulcan P4 50 Padlock with hardened steel chain	10	900	55	33	9.5	23.5	22	5012245035902	KB P4	BOX	1	
WARRIOR55/J3	7	Bicycle	Warrior 55 Padlock with hardened all chain	8	915	55	34	10	30	24	5012245035919	KB P5	BOX	1	
SS50S/G3 KA	8	Bicycle	KA SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	Special	KB P6	BOX	1	■
WARRIOR 65/G4KA	8	Bicycle	KA Warrior 65 Padlock with hardened alloy chain	10	1200	65	34	12	27	16	Special	KB P5	BOX	1	
VULCANP450/Y3KA	6	Bicycle	KA Vulcan P4 50 Padlock with hardened steel chain	10	900	50	33	9.5	23.5	22	Special	KB P4	BOX	1	
WARRIOR55/J3KA	7	Bicycle	KA Warrior 55 Padlock with hardened all chain	8	915	55	34	10	30	24	Special	KB P5	BOX	1	



High Security **Hardened Alloy Steel** Chains - Sold Secure Approved



**Stronghold® TC22**  
Diameter - 22mm  
Length - 1500mm  
Hardened Alloy Steel



**Stronghold® TC19**  
Diameter - 19mm  
Length - 1500mm  
Hardened Alloy Steel



**Stronghold® TC16**  
Diameter - 16mm  
Length - 1500mm  
Hardened Alloy Steel



**Stronghold® TC14**  
Diameter - 14mm  
Lengths - 915mm, 1200mm, 1500mm, 2000mm  
Hardened Alloy Steel



**Stronghold® G Chain**  
Diameter - 10mm  
Lengths - 915mm, 1200mm, 1500mm, 2000mm  
Hardened Alloy Steel



**Stronghold® J Chain**  
Diameter - 8mm  
Lengths - 915mm, 1200mm  
Hardened Alloy Steel





### High Security **Hardened Alloy Steel** Chains - Sold Secure Approved



TC22



TC19



TC16



TC14



G3



J4



Code	Security Rating	Sold Secure	Description	Dimensions mm		Barcode	Pack Type	Min Qty
				Link Diameter	Chain Length			
TC22/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	22	1500	5012245038378	BOX	1
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	19	1500	5012245035889	BOX	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	16	1500	5012245035896	BOX	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	915	5012245028089	BOX	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	1200	5012245028096	BOX	1
TC14/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	1500	5012245038590	BOX	1
TC14/7	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	2000	5012245038583	BOX	1
G3	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	915	5012245006537	BOX	1
G4	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	1200	5012245003116	BOX	1
G5	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	1500	5012245038590	BOX	1
G7	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	2000	5012245040630	BOX	1
J3	8	Bicycle	J Chain alloy steel hardened chain, blue sleeve	8	915	5012245008630	BOX	1
J4	8	Bicycle	J Chain alloy steel hardened chain, blue sleeve	8	1200	5012245004366	BOX	1

SOLD SECURE

	DIAMOND
	GOLD
	SILVER
	BRONZE




## Keykeep™ 2 12 Button Recodable Key Safe With Weatherproof Cover



### Product features

- Durable Die cast construction designed to withstand attack
- 12 Button recodable combination lock
- 4000 possible combinations - recodable. Revoke access at any point by changing the code
- Chosen code can be any number of digits, from a one digit code, up to a 12 digit code
- Easy to recode
- Weather resistant cover
- Discrete appearance, dark colour does not attract attention
- Automatic reset feature for extra security
- Internal capacity suitable for holding multiple keys. (85mm x 68mm x 13mm)
- Attaches easily to any flat surface
- Comes with 4 fixing bolts

### Dimensions



## Keykeep™ 1 4 Wheel Combination Key Safe



### Product features

- Durable construction
- Four wheel recodable combination lock
- Weather resistant cover
- Easy to fit and recode

## Keep a spare key safely outside your property for emergencies

### Typical uses

- Keep elderly or infirm relatives' keys for fast access in an emergency
- Easy access for your children when they get home
- Ideal for shed keys, garage keys etc
- Allows gardeners, cleaners, workmen, care workers access to your home
- Allows access to only those who know the code
- Provides a mini-safe for holiday homes, guest houses, B&Bs and rental accommodation
- Ideal for offices or holiday lets
- Keep your spare key safe and secure
- Ideal for external and internal use
- Choose your own secure access code

### Important Notes

All key safes and key keeps should be placed out of sight so as not to invite attack. Fix your key safe in a discrete location and only make its location known to those who need access.

Check with your insurer that using a key safe does not in any way conflict with the terms and conditions of your insurance policy.



## Key Safes



KEYKEEP1



KEYKEEP2

Code	@	Description	Dimensions mm			Barcode	Number of Combinations	Pack Type	Min Qty
			A	B	C				
KEYKEEP1	WORK	Combination Key Safe Blistered	85	120	35	5012245022087	10,000	BLISTER	2
KEYKEEP2	WORK	Push Button Key Safe Blistered	78	121	57	5012245035322	4,000	BLISTER	2



## HOME

@Home, as the name suggests, is perfect for home use. It includes general purpose products like our brass, laminated and combination padlocks. It's ideal for gates, toolboxes, cabinets and garage doors. And it includes specialist locks such as our combination bolt, locks & hasps for outside gates or sheds.

### Product usage

- All-round home use
- Garage
- Shed
- Front gate
- Storage

### Why choose HOME

- Tough all round locks
- Weather-proofed
- Guaranteed 10 years
- Key and combi
- Thief-proof, tested

### Security rating

basic 1-4 / high 5-7

### Squire HOME brands

- CP Combination
- CP All Terrain
- **Combi-bolt™**
- **Vulcan™** Combi
- **Vulcan™** Key
- **Stronglock™**
- **Lion**
- **Old English**
- Medium duty security hasps
- **Keybolt™**





## A mighty robust high security range of combination locks

Named after Vulcan, the ancient Roman god of fire and metalworking, this mighty tough combination padlock range takes some beating. Easy to use in 4 and 5-wheel versions, these Vulcans are fully recodable and offer up to 100,000 combinations.

### Vulcan™ Combi Range - Features

Hardened **Boron** steel shackle with Satin Chrome finish

Double locking

Vulcan40 and Vulcan50 4 Wheels 10,000 combinations


Vulcan60 - 5 Wheels 100,000 combinations

Fully recodable

Satin chrome die cast alloy body

Push button opening

New patented design




**Boron**  
steel shackle



## Vulcan™ Combi Range



**Boron  
steel shackle**



## Vulcan™ Combi Range

## Open Shackle

Code	Security Rating	@	Description	Dimensions mm					Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C	D	E				
VULCAN COMBI 60	6	HOME	60mm Combination Padlock - 5 wheel	60	33	10	34	28	5012245035612	100,000	BLISTER	4
VULCAN COMBI 60BX	6	HOME	60mm Combination Padlock - 5 wheel - Boxed	60	33	10	34	28	Special	100,000	BOX	1
VULCAN COMBI 50	5	HOME	50mm Combination Padlock - 4 wheel	50	26	8	26	22.6	5012245035506	10,000	BLISTER	6
VULCAN COMBI 50BX	5	HOME	50mm Combination Padlock - 4 wheel - Boxed	50	26	8	26	22.6	Special	10,000	BOX	1
VULCAN COMBI 40	4	HOME	40mm Combination Padlock - 4 wheel	40	22	6	20	17	5012245035643	10,000	BLISTER	6
VULCAN COMBI 40BX	4	HOME	40mm Combination Padlock - 4 wheel - Boxed	40	22	6	20	17	Special	10,000	BOX	1

## Closed Shackle

VULCAN COMBI 60CS	7	HOME	60mm Closed Shackle Combination Padlock - 5 wheel	60	33	10	29	22	5012245035629	100,000	BLISTER	4
VULCAN COMBI 50CS	6	HOME	50mm Closed Shackle Combination Padlock - 4 wheel	50	26	8	22	15	5012245035520	10,000	BLISTER	6
VULCAN COMBI 40CS	4	HOME	40mm Closed Shackle Combination Padlock - 4 wheel	40	22	6	17	13	5012245035650	10,000	BLISTER	6

## Long Shackle

VULCAN COMBI 60/2.5	6	HOME	60mm 2.5" Long Shackle Combination Padlock - 5 wheel	60	33	10	63	28	5012245035636	100,000	BLISTER	4
VULCAN COMBI 50/2.5	5	HOME	50mm 2.5" Long Shackle Combination Padlock - 4 wheel	50	26	8	63	22.6	5012245035513	10,000	BLISTER	6
VULCAN COMBI 40/2.5	4	HOME	40mm 2.5" Long Shackle Combination Padlock - 4 wheel	40	22	6	63	17	5012245035667	10,000	BLISTER	6



## Vulcan™ Range



### A mighty tough range of high performance locks

These uniquely designed key operated padlocks offer a medium to high level of security. They come in 3 body widths 40mm, 45mm and 50mm and within each size, open shackle, closed shackle and long shackle variants are available. They can be supplied Keyed Alike upon request.

### Vulcan™ Range - Features

Hardened **boron** alloy steel shackle

Steel body with Die cast satin chrome body cover

4 pin tumbler lock mechanism





VULCAN P4 50 VULCAN P4 50CS



VULCAN P4 50/2.5




VULCAN P4 45 VULCAN P4 45CS



VULCAN P4 40 VULCAN P4 40/2.5

## Vulcan™ Key Range

### Open Shackle



Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
				A	B	C	D	E				
<b>VULCAN P4 50</b>	6	HOME	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	23.5	22	5012245035469	KB P4	BLISTER	6
<b>VULCAN P4 50 BX</b>	6	HOME	50mm Steel Body, Die cast cover with Boron Shackle - Boxed	55	33	9.5	23.5	22	Special	KB P4	BOX	1
<b>VULCAN P4 45</b>	5	HOME	45mm Steel Body, Die cast cover with Boron Shackle	48	28	8	19	20.5	5012245035582	KB P4	BLISTER	6
<b>VULCAN P4 40</b>	5	HOME	40mm Steel Body, Die cast cover with Boron Shackle	44	27	7	18	19	5012245035452	KB P4	BLISTER	6
<b>VULCAN P4 40 BX</b>	5	HOME	40mm Steel Body, Die cast cover with Boron Shackle - Boxed	44	27	7	18	19	Special	KB P4	BOX	1
<b>VULCAN P4 50 KA</b>	6	HOME	50mm KA Diecast Body Padlock with Boron Shackle	55	33	9.5	23.5	22	Special	KB P4	BOX	1
<b>VULCAN P4 45 KA</b>	5	HOME	45mm KA Diecast Body Padlock with Boron Shackle	48	28	8	19	20.5	Special	KB P4	BOX	1
<b>VULCAN P4 40 KA</b>	5	HOME	40mm KA Diecast Body Padlock with Boron Shackle	44	27	7	18	19	Special	KB P4	BOX	1

### Closed Shackle

<b>VULCAN P4 50CS</b>	7	HOME	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	19	16	5012245035476	KB P4	BLISTER	6
<b>VULCAN P4 50CS BX</b>	7	HOME	50mm Steel Body, Die cast cover with Boron Shackle - Boxed	55	33	9.5	19	16	Special	KB P4	BOX	1
<b>VULCAN P4 45CS</b>	6	HOME	45mm Steel Body, Die cast cover with Boron Shackle	48	28	8	15.2	14	5012245035599	KB P4	BLISTER	6
<b>VULCAN P4 50CS KA</b>	7	HOME	50mm KA Steel Body, Die cast cover with Boron Shackle	55	33	9.5	19	16	Special	KB P4	BOX	1
<b>VULCAN P4 45CS KA</b>	6	HOME	45mm KA Steel Body, Die cast cover with Boron Shackle	48	28	8	15.2	14	Special	KB P4	BOX	1

### Long Shackle

<b>VULCAN P4 50/2.5</b>	6	HOME	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	63	23.5	5012245035575	KB P4	BLISTER	6
<b>VULCAN P4 40/2.5</b>	5	HOME	40mm Steel Body, Die cast cover with Boron Shackle	44	27	7	63	19	5012245035605	KB P4	BLISTER	6
<b>VULCAN P4 50/2.5 KA</b>	6	HOME	50mm KA Steel Body, Die cast cover with Boron Shackle	55	33	9.5	63	23.5	Special	KB P4	BOX	1
<b>VULCAN P4 40/2.5 KA</b>	5	HOME	40mm KA Steel Body, Die cast cover with Boron Shackle	48	28	8	63	20.5	Special	KB P4	BOX	1

## CP Range - Combination



## A heavy-duty range of recodable combination padlocks

Unique in design, our combination locks are manufactured to the highest standards for quality performance. Easy to use, they are fully recodable and a number of locks can be coded alike so that one code opens several locks. Many of our locks are patented and have individual design features to improve performance and security.

### CP Range - Features

Hardened steel shackle  
(Rustproof versions  
stainless steel shackles)

Double locking

CP40 and CP50 - 4 Wheels  
10,000 combinations


CP60 - 5 Wheels 100,000  
combinations

Fully recodable

Die cast alloy body  
cover

Push button opening


New patented design



NEW CP 50/4  
100mm shackle clearance



# CP Range - Combination



## CP Range Padlocks



### CP60 - 60mm

Code	Security Rating	@	Description	Dimensions mm					Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C	D	E				
CP60	6	HOME	60mm Combi Padlock - 5 wheel	60	33	10	34	28	5012245025736	100,000	BLISTER	3
CP60 BX	6	HOME	60mm Combi Padlock - 5 wheel - Boxed	60	33	10	34	28	Special	100,000	BLISTER	3
CP60/2.5	6	HOME	CP60 with a 63mm vertical shackle clearance	60	33	10	63	28	5012245025743	100,000	BLISTER	3
CP60CS	7	HOME	CP60 with closed shackle	60	33	10	29	22	5012245025750	100,000	BLISTER	3



### CP50 - 50mm

CP50	5	HOME	50mm Combi Padlock - 4 wheel	50	26	8	26	22.6	5012245021783	10,000	BLISTER	6
CP50 BX	5	HOME	50mm Combi Padlock - 4 wheel - Boxed	50	26	8	26	22.6	Special	10,000	BOX	1
CP50/1.5	5	HOME	CP50 with a 38mm vertical shackle clearance	50	26	8	38.1	22.6	5012245021806	10,000	BLISTER	6
CP50/1.5 BX	5	HOME	CP50 with a 38mm vertical shackle clearance - Boxed	50	26	8	38.1	22.6	Special	10,000	BOX	1
CP50/2.5	5	HOME	CP50 with a 63mm vertical shackle clearance	50	26	8	63.5	22.6	5012245021813	10,000	BLISTER	6
CP50/2.5 BX	5	HOME	CP50 with a 63mm vertical shackle clearance - Boxed	50	26	8	63.5	22.6	5012245040265	10,000	BOX	1
CP50/4 <b>new</b>	5	HOME	CP50 with a 100mm vertical shackle clearance	50	26	8	100	22.6	Special	10,000	BOX	1
CP50CS	6	HOME	CP50 with closed shackle	50	26	8	100	16	5012245021790	10,000	BLISTER	3



**new**



### CP40 - 40mm

CP40	4	HOME	40mm Combi Padlock - 4 wheel	40	22	6	20	17	5012245024609	10,000	BLISTER	6
CP40 BX	4	HOME	40mm Combi Padlock - 4 wheel - Boxed	40	22	6	20	17	Special	10,000	BOXED	6
CP40/2.5	4	HOME	CP40 with a 63mm vertical shackle clearance	40	22	6	63	17	5012245024616	10,000	BLISTER	6
CP40/2.5 BX	4	HOME	CP40 with a 63mm vertical shackle clearance - Boxed	40	22	6	63	17	Special	10,000	BOXED	6
CP40CS	4	HOME	CP40 with closed shackle	40	22	6	17	13	5012245024623	10,000	BLISTER	6



**Rustproof**

### CP30 - 30mm

CP30	2	LEISURE	30mm Combi Padlock - 3 wheel	30	16	4	15	13	5012245033649	1,000	BLISTER	6
------	---	---------	------------------------------	----	----	---	----	----	---------------	-------	---------	---



Rustproof versions with stainless steel shackles also available, see page 69



## Solid Brass Padlocks Premium Grade

The Lion range offers a superior level of security for indoor and outdoor use and is available keyed alike.

### Features

- Hardened steel shackle
- Double locking 30mm and above
- Solid brass lock body
- Pin tumbler lock mechanism

### Benefits

- Superior duty security - excellent economic choice
- For internal and external use

NEW LN4/4  
100mm shackle clearance




Hardened  
steel shackle

Solid brass  
lock body

Pin tumbler  
lock mechanism





Lion Range - Premium Solid Brass



LN2 LN3 LN4



LN5 LN60



LN4/2.5 LN5/2.5 LN4/4



new

Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
				A	B	C	D	E				
LN2	2	LEISURE	25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	5012245002676	KB LN A SL	BLISTER	12
LN3	2	LEISURE	30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	5012245002683	KB LN A SL	BLISTER	12
LN4	3	HOME	40mm Premium Brass 5 pin Double Locking	39.5	14	6	21.1	22.5	5012245002690	KBP5	BLISTER	6
LN5	4	HOME	50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	30	28	5012245002713	KBP5	BLISTER	6
LN60	5	HOME	60mm Premium Brass 5 pin Double Locking	60	18.6	9.5	35.5	33.5	5012245003376	KBP5	BLISTER	6
LN4/2.5	3	HOME	2.5" L/S 40mm Premium Brass 5 pin Double Locking	39.5	14	6	64	22.5	5012245002706	KBP5	BLISTER	6
LN4/4 new	3	HOME	4" L/S 40mm Premium Brass 5 pin Double Locking	39.5	14	6	100	22.2	5012245039368	KBP5	BLISTER	6
LN5/2.5	4	HOME	2.5" L/S 50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	65	28	5012245006032	KBP5	BLISTER	6
LN4T	3	HOME	40mm Twinpack KA (2 x LN4 KA on one card)	39.5	14	6	21.1	22.5	5012245003314	KBP5	BLISTER	6
LN5T	4	HOME	50mm Twinpack KA (2 x LN5 KA on one card)	51	15.5	8.8	30	28	5012245009781	KBP5	BLISTER	6
LN2 KA1	2	LEISURE	KA 25mm Premium Brass 4 pin Differ No. 2232	24.5	11.1	4	16.7	13.5	Special	KBP5	BOX	12
LN3 KA1	2	LEISURE	KA 30mm Premium Brass 4 pin Double Locking Differ No. 32342	31.5	13	5.5	19.5	16.5	Special	KBP5	BOX	12
LN3 KA2	2	LEISURE	KA 30mm Premium Brass 4 pin Double Locking Differ No. 43223	31.5	13	5.5	19.5	16.5	Special	KBP5	BOX	6
LN4 KA1	3	HOME	KA 40mm Premium Brass 4 pin Double Locking Differ No. 23423	39.5	14	6	21.1	22.5	Special	KBP5	BOX	6
LN4 KA2	3	HOME	KA 40mm Premium Brass 4 pin Double Locking Differ No. 24342	39.5	14	6	21.1	22.5	Special	KBP5	BOX	6
LN4 KA3	3	HOME	KA 40mm Premium Brass 4 pin Double Locking Differ No. 31422	39.5	14	6	21.1	22.5	Special	KBP5	BOX	6
LN5 KA1	4	HOME	KA 50mm Premium Brass 4 pin Double Locking Differ No. 24342	51	15.5	8.8	30	28	Special	KBP5	BOX	6
LN5 KA2	4	HOME	KA 50mm Premium Brass 4 pin Double Locking Differ No. 35524	51	15.5	8.8	30	28	Special	KBP5	BOX	6
LN5 KA3	4	HOME	KA 50mm Premium Brass 4 pin Double Locking Differ No. 31422	51	15.5	8.8	30	28	Special	KBP5	BOX	6
LN60 KA1	5	HOME	KA 60mm Premium Brass 4 pin Double Locking Differ No. 24342	60	18.6	9.5	35.5	33.5	Special	KBP5	BOX	6
LN60 KA2	5	HOME	KA 60mm Premium Brass 4 pin Double Locking Differ No. 31422	60	18.6	9.5	35.5	33.5	Special	KBP5	BOX	6
LN4/2.5 KA1	3	HOME	KA 2.5" L/S 40mm Premium Brass 5 pin Double Locking Differ No. 24342	39.5	14	6	64	22.5	Special	KBP5	BOX	6
LN4/4/KA1 new	6	HOME	KA 4" L/S 40mm Premium Brass 5 pin Double Locking Differ No. 24342	39.5	14	6	100	22.5	Special	KBP5	BOX	6
LN5/2.5 KA1	4	HOME	KA 2.5" L/S 50mm Premium Brass 5 pin Double Locking Differ No. 24342	51	15.5	8.8	65	28	Special	KBP5	BOX	6
LN5/2.5 KA2	4	HOME	KA 2.5" L/S 50mm Premium Brass 5 pin Double Locking Differ No. 35524	51	15.5	8.8	65	28	Special	KBP5	BOX	6

## Harsh Environment Padlocks



### Highly weather resistant padlocks **NEW** suitable for the harshest of environments

Squire have updated their All Terrain padlocks to a new design. These highly weather resistant rustproof padlocks are manufactured to the highest standards for quality performance even under the harshest environmental conditions.

#### ATL Range - Features

Stainless steel shackles, 6mm on the ATL42S and 8mm on the ATL52S

Solid brass lock body, two body widths available, 44mm and 58mm

All weather, protective body cover for extra resistance to the environment

Pin tumbler cylinder



new



Rustproof




Stainless steel shackle



**240** YEARS  
OF LOCKMAKING EXCELLENCE

# Harsh Environment Padlocks



new



## All terrain padlocks

Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
				A	B	C	D	E				
ATL42S	3	HOME	All Terrain 40mm Brass Padlock Stainless Shackle in a protective sleeve	44	20	6	20	22	5012245037883	KBP5	BLISTER	6
ATL52S	4	HOME	All Terrain 50mm Brass Padlock Stainless Shackle n a protective sleeve	58	25	8.8	29	28	5012245037920	KBP5	BLISTER	6
ATL42SKA1	3	HOME	All Terrain 40mm KA Brass Padlock Stainless Shackle Key Differ No. 24342	44	20	6	20	22	5012245037890	KBP5	BOX	1
ATL52SKA1	4	HOME	All Terrain 50mm KA Brass Padlock Stainless Shackle Key Differ No. 24342	58	25	8.8	29	28	5012245037937	KBP5	BOX	1

## Old English



Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
				A	B	C	D	E				
220	2	HOME	Small Old English Galvanised Steel 4 Lever	38	14.5	7	11	12	5012245000221	KB 220	BLISTER	6
440	3	HOME	Medium Old English Galvanised Steel 4 Lever	51	16.5	8	18	18	5012245000269	KB 440	BLISTER	6
660	3	HOME	Large Old English Galvanised Steel 4 Lever	64	19.7	10	21	21	5012245000290	KB 660	BLISTER	6
220KA	2	HOME	KA Small Old English Galvanised Steel 4 Lever	38	14.5	7	11	12	Special	KB 220	BOX	1
440KA	3	HOME	KA Medium Old English Galvanised Steel 4 Lever	51	16.5	8	18	18	Special	KB 440	BOX	1
660KA	3	HOME	KA Large Old English Galvanised Steel 4 Lever	64	19.7	10	21	21	Special	KB 660	BOX	1

## Old English - Marine Grade



555

555	3	MARINE	Medium Old English Stainless Steel 4 Lever	51	16.5	8	18	18	501224539894	KB 440	BLISTER	6
555KA	3	MARINE	Medium Old English Stainless Steel 4 Lever Keyed Alike	51	16.5	8	18	18	Special	KB 440	BOX	1



39 Range



37 Range



35 Range

## Stronglock™ Range

### Steel Pin Tumbler

- Hardened steel shackle
- Double deadlocking, ball locking, spring locking
- Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 Pin tumbler lock mechanism gives over 1,000 key differs
- Medium duty security
- Available masterkeyed and keyed alike


Hardened steel shackle

Double deadlocking, ball locking, spring locking

Covered laminated steel padlock body with anti-corrosion finish

4 Pin tumbler lock mechanism gives over 1,000 key differs





## Stronglock™ Pin Tumbler



Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
				A	B	C	D	E					
35	4	HOME	40mm Laminated Double Locking Padlock 4 pin	44	23	7	17	16	5012245000795	KB P4	BLISTER	6	■
35 BX	4	HOME	40mm Laminated Double Locking Padlock 4 pin - Boxed	44	23	7	17	16	Special	KB P4	BOX	1	
37	4	HOME	45mm Laminated Double Locking Padlock 4 pin	49	24	8	20	20	5012245000856	KB P4	BLISTER	6	■
39	5	HOME	50mm Laminated Double Locking Padlock 4 pin	54	29	9	24	24	5012245000917	KB P4	BLISTER	6	■
39 BX	5	HOME	50mm Laminated Double Locking Padlock 4 pin - boxed	54	29	9	24	24	Special	KB P4	BOX	1	
35KA	4	HOME	40mm KA Laminated Double Locking Padlock 4 pin	44	23	7	17	16	Special	KB P4	BOX	1	
37KA	4	HOME	45mm KA Laminated Double Locking Padlock 4 pin	49	24	8	20	20	Special	KB P4	BOX	1	
39KA	5	HOME	50mm KA Laminated Double Locking Padlock 4 pin	54	29	9	24	24	Special	KB P4	BOX	1	
37CS	5	HOME	45mm Closed Shackle Laminated Double Locking Padlock 4 pin	49	24	8	13	20	5012245003680	KB P4	BOX	1	■
39CS	6	HOME	50mm Closed Shackle Laminated Double Locking Padlock 4 pin	54	29	9	19	16	5012245003697	KB P4	BLISTER	3	■
37CSKA	5	HOME	45mm KA Closed Shackle Laminated Double Locking Padlock 4 pin	49	24	8	13	20	Special	KB P4	BOX	1	
39CSKA	6	HOME	50mm KA Closed Shackle Laminated Double Locking Padlock 4 pin	54	29	9	19	16	Special	KB P4	BOX	1	
35/1.5	4	HOME	40mm 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	23	7	39	16	5012245000825	KB P4	BOX	6	■
35/2.5	4	HOME	40mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	23	7	64.8	16	5012245000832	KB P4	BLISTER	6	■
37/2.5	4	HOME	45mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	49	24	8	64.4	20	5012245000887	KB P4	BOX	6	■
39/1.5	5	HOME	50mm 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	54	29	9	39	24	5012245000931	KB P4	BOX	6	■
39/2.5	5	HOME	50mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	54	29	9	64.5	24	5012245000948	KB P4	BOX	6	■
35/1.5KA	4	HOME	40mm KA 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	23	7	39	16	Special	KB P4	BOX	1	
35/2.5KA	4	HOME	40mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	23	7	64.8	16	Special	KB P4	BOX	1	
37/2.5KA	4	HOME	45mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	49	24	8	64.4	20	Special	KB P4	BOX	1	
39/1.5KA	5	HOME	50mm KA 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	54	29	9	39	24	Special	KB P4	BOX	1	
39/2.5KA	5	HOME	50mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	54	29	9	64.5	24	Special	KB P4	BOX	1	
35T	4	HOME	Twin pack Keyed Alike (2 x 35KA on one card)	44	23	7	17	16	5012245000818	KB P4	BLISTER	6	
35CLR	4	HOME	Assorted Colours 40mm Laminated Double Locking Padlock 4 pin	44	23	7	17	16	Special	KB P4	BOX	1	■
35CLRKA	4	HOME	KA Assorted Colours 40mm Laminated Double Locking Padlock 4 pin	44	23	7	17	16	Special	KB P4	BOX	1	
35C	4	HOME	No 35 padlock with 305mm chain attached	44	23	7	17	16	5012245000849	KB P4	BOX	1	■
37C	4	HOME	No 37 padlock with 305mm chain attached	49	24	8	20	20	5012245000900	KB P4	BOX	1	■
39C	5	HOME	No 39 padlock with 305mm chain attached	54	29	9	24	24	5012245000962	KB P4	BOX	1	■
35CKA	4	HOME	KA No. 35 padlock with 305mm chain attached	44	23	7	17	16	Special	KB P4	BOX	1	
37CKA	4	HOME	KA No. 37 padlock with 305mm chain attached	49	24	8	20	20	Special	KB P4	BOX	1	
39CKA	5	HOME	KA No. 39 padlock with 305mm chain attached	54	29	9	24	24	Special	KB P4	BOX	1	


MK Denotes Master Keyed

## Stronglock™ Keyed Alike KIT



### Laminated Padlocks - P4 Keyed Alike KIT

Create keyed alike suites quickly and easily, eliminating many of the problems associated with pinning padlocks



## Laminated Padlocks - P4 Keyed Alike KIT

- The padlock comes with the cylinder in place enabling you to pin through the pinning hole in the side of the padlock
- No problems inserting the cylinders, no need to worry about misaligned and badly fitting cylinders
- Inserting the pins is easy, using the pin loader tool to help guide you insert pins, drivers and springs
- Quick and easy to use
- No need to involve the lock manufacturer - do the job in-house to your customers timescale
- Makes providing keyed alike systems quick, easy and profitable for the locksmith

For full break down of P4 Keyed Alike KIT components see overleaf

100 pins x 5 types, 400 x pin drivers, 400 x springs, Key reader, Pin loader tool, Loading punch tool. Comes in attractive tidy box




P4 Keyed Alike KIT

Code	Security Rating	@	Description	Barcode	Key Blank	Pack Type	Min Qty
LAM/P4/PINKIT	N/A	HOME	Kit for P4 Laminated pinnable padlocks - Supplied in Luxury Plastic Case	n/a	KB P4	BOX	1

## Laminated Padlocks - P4 Keyed Alike KIT - Components

Code	Description	Barcode	Key Blank	Pack Type
LAM/P4/COREPIN/0	P4 Std Differ Pin 0 (BAG 100)	Special	n/a	BAG
LAM/P4/COREPIN/1	P4 Std Differ Pin 1 (BAG 100)	Special	n/a	BAG
LAM/P4/COREPIN/2	P4 Std Differ Pin 2 (BAG 100)	Special	n/a	BAG
LAM/P4/COREPIN/3	P4 Std Differ Pin 3 (BAG 100)	Special	n/a	BAG
LAM/P4/COREPIN/4	P4 Std Differ Pin 4 (BAG 100)	Special	n/a	BAG
LAM/P4/COREPIN/5	P4 Std Differ Pin 5 (BAG 100)	Special	n/a	BAG
LAM/P4/TOPPIN/1	P4 Driver Top Pin 1 (BAG 100)	Special	n/a	BAG
LAM/P4/BODY SPRING	P4 Body Spring (BAG 100)	Special	n/a	BAG
LAM/P4/BL	P4 Key Blank	Special	KB P4	BAG
LAM/P4/JIG/UNIV	P4 Jig for No.35/37/39 Assembly	Special	n/a	BAG
LAM/P4/LOADING/PUNCH	P4 Punch to assist Pin Assembly	Special	n/a	BAG
LAM/P4/KEYREADER	P4 Key Reader	Special	n/a	BAG
LAM/P4/CAPBLOCK	P4 Cap Stopper Block	Special	n/a	BAG
LAM/P4/DEPTH/SET	P4 Set of 6 Depth Keys	Special	n/a	BAG
LAM/P4/35/KIT	35 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/35/1.5/KIT	35/1.5 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/35/2.5/KIT	35/2.5 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/37/KIT	37 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/37/2.5/KIT	37/2.5 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/39/KIT	39 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/39/1.5/KIT	39/1.5 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/39/2.5/KIT	39/2.5 Body c/w Blk Sleeve & 2 Key BL	Special	KB P4	BAG
LAM/P4/35/CLR/SLEEVE	Coloured Sleeve for No.35 Padlock	Special	n/a	BAG
LAM/P4/37/CLR/SLEEVE	Coloured Sleeve for No.37 Padlock	Special	n/a	BAG
LAM/P4/39/CLR/SLEEVE	Coloured Sleeve for No.39 Padlock	Special	n/a	BAG
LAM/P4/35/BLK/SLEEVE	Black Sleeve for No.35 Padlock	Special	n/a	BAG
LAM/P4/37/BLK/SLEEVE	Black Sleeve for No.37 Padlock	Special	n/a	BAG
LAM/P4/39/BLK/SLEEVE	Black Sleeve for No.39 Padlock	Special	n/a	BAG



Pins, Springs and Drivers



Keys




LAM/P4/JIG/UNIV



LAM/P4/LOADING/PUNCH



LAM/P4/KEYREADER



LAM/P4/CAPBLOCK



35 Padlocks



37 Padlocks



39 Padlocks



Coloured Sleeves

## Keybolt™ Weatherproof Locking Bolt




- Steel lock body and bolt encased in a weatherproof cover
- Steel components
- 4 Lever lock mechanism
- Lever lock mechanism gives excellent reliability outdoors
- Can be used in or outdoors

Uses: Sheds, gates, cupboards, storage areas, cabinets, lockers, small vans, internal and external doors.



All weather



KEYBOLT



INTEGRATED



No.6H

### Keybolt™ - Weatherproof Locking Bolt



Code	Security Rating	@	Description	Dimensions mm			Barcode	Key Blank	Pack Type	Min Qty
				A	B	C				
KEYBOLT	4	HOME	Weatherproof locking bolt - key operated	113	68	30	5012245031027	KB 220	BLISTER	6

### Integrated Locking Hasp



Code	Security Rating	@	Description	Dimensions mm			Barcode	Key Blank	Pack Type	Min Qty
				A	B	C				
LH1	4	HOME	Locking Hasp & staple	152	44	23	5012245007794	KB LH1	BLISTER	6

### Hasp and Staples



Code	Security Rating	@	Description	Dimensions mm			Staple Clearance	Barcode	Pack Type	Min Qty
				A	B	C				
NO.6H	6	HOME	Hardened Steel clam	152	44	23	12.5	5012245000511	BLISTER	6



## Combi-Bolt®

### Unique recodable locking bolt

- Die cast lock body
- Steel bolt
- Recodable CombiBolt 3 - 3 wheels for 1,000 combinations
- Recodable CombiBolt 4 - 4 wheels for 10,000 combinations
- Recodable CombiBolt 5 - 5 wheels for 100,000 combinations
- No Keys to Lose
- One handed operation
- Security screws included in pack
- High pick resistance
- Patented
- Replaces a padlock and hasp & staple

#### Uses

Sheds, cupboards, storage areas, cabinets, lockers



Can be coded alike



No keys to lose



Rustproof



All Weather



## Combi-Bolt 5™



## Combi-Bolt 4™



## Combi-Bolt 3™



## Combi-Bolt 3™

Code	Security Rating	@	Description	Dimensions mm			Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C				
COMBI3	3	HOME	92mm Combination Bolt blue die cast recodable	92	35	33	5012245031034	1,000	BLISTER	4
COMBI3 CH	3	HOME	92mm Chrome finish Combination Bolt recodable	92	35	33	5012245031041	1,000	BLISTER	4

## Combi-Bolt 4™

Code	Security Rating	@	Description	Dimensions mm			Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C				
COMBI4	4	HOME	120mm Combination Bolt blue die cast recodable	120	50	40	5012245009002	10,000	BLISTER	4
COMBI4 CH	4	HOME	120mm Chrome finish Combination Bolt recodable	120	50	40	5012245020182	10,000	BLISTER	4

## Combi-Bolt 5™

Code	Security Rating	@	Description	Dimensions mm			Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C				
COMBI5	5	WORK	150mm Combination Bolt blue die cast recodable	150	60	40	5012245035551	100,000	BLISTER	2

## LEISURE

@Leisure is for when you're out and about. Marine grade locks for boats and harsh weather conditions. The range also includes luggage and travel locks for when you're flying abroad, or for your trailer or caravan.

### New leisure products 2022

This year sees the introduction of the new CP All Terrain range of padlocks. An extremely durable, rustproof, weather protected range based upon Squire's extremely popular and well established CP Range. These locks have been salt spray tested for 312 hours. See page 64

Also, see Squire's new LEISURE - MARINE GRADE range. This category of locks is an extension of the regular LEISURE range having features that enhance performance in wet conditions. The padlocks in this range incorporate stainless steel shackles and many have been salt spray tested. See page 68.



CP All Terrain



Lion Range



CP Range



All Terrain



## LEISURE

### MARINE GRADE

Ideal for marine environments,  
beaches, boats, water sports  
equipment, marinas.

See page 66

### Product usage

- Out and about
- Recreational gear
- Suitcase
- Caravan / camping
- BBQ
- Sport locker
- Marine

### Why choose LEISURE

- Tough rustproof and weather-proof
- Guaranteed 10 years
- Mostly combi
- Thief-proof, tested

### Security rating

Basic 1-4

### Squire LEISURE brands

- CP Combination CP30
- CP All Terrain
- **Lion**
- Luggage and travel locks
- Lock and chain sets
- Cables

### Security rating

Basic 1-4

## All Terrain combination locks - **NEW** ideal for the harshest environments

The new CP All Terrain locks combine all of the features of Squire's highly popular CP combination range with added weather protection features. Seriously tough locks, built to withstand the harshest of weather conditions and challenging environments. Tested to 312 hours Salt Spray. Available in standard dark blue (available now), high visibility orange and RUSTPROOF light blue versions (Coming soon). Standard and long shackle variants available.

### Features

- Unique angled shackle, available with hardened steel shackle with black anti-corrosion finish or in stainless steel design for guaranteed rust-proof protection
- Robust TPE easy grip body cover
- 50mm die cast lock body
- Special weather protective wheel cover
- Push button opening. Angled button on the bottom of the padlock to provide easier opening of lock
- 4 Wheels - 10,000 possible combinations. Fully recodable



Passed 312 hour salt spray test



All Weather



All Terrain



CP All Terrain Range - Combination

CP All Terrain standard

new



Black and dark blue versions. Available with standard shackle and 2.5 inch shackle versions. Available now

CP All Terrain orange COMING SOON




Ideal for high visibility applications and as a visible deterrent. Available soon

CP All Terrain stainless shackles Rustproof COMING SOON



Rustproof versions with stainless steel shackles. Ideal for marine applications. Available soon

CP50 All Terrain Open Shackle



Code	Security Rating	@	Description	Dimensions mm					Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C	D	E				
CP50/ATL BX	5	LEISURE	50mm Combination Padlock - 4 Wheel - Protective Cover	50	36	8	23	22	5012245039016	10,000	BOX	6
CP50/ATL/2.5 BX	5	LEISURE	50mm 2.5" Shackle Combination Padlock - 4 Wheel - Protective Cover	50	36	8	63	22	5012245039030	10,000	BOX	6



### Lion Range

- Hardened steel shackle
- Double locking 30mm and above
- Solid brass lock body
- Pin tumbler lock mechanism




### CP Range

- Double locking - Fully recordable
- Die cast alloy body with dual compound cover
- Hardened steel shackle
- CP30 - 3 Wheels 1000 combinations



### All Terrain ATL Range

- Double locking
- 6mm stainless steel shackle
- All weather body cover
- Solid brass lock body
- Pin tumbler cylinder
- Packed in HOME packaging but ideal for leisure activities



Lion Range



Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank or No of combinations	Pack Type	Min Qty
				A	B	C	D	E				
LN2	2	LEISURE	25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	5012245002676	KB LN A SL	BLISTER	12
LN3	2	LEISURE	30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	5012245002683	KB LN C SL	BLISTER	12
LN2KA	2	LEISURE	KA 25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	Special	KB LN A SL	BOX	12
LN3KA	2	LEISURE	KA 30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	Special	KB LN C SL	BOX	12

CP Range




CP30	2	LEISURE	30mm Combi Padlock - 3 wheel	30	16	4	15	13	501224503364	1,000	BLISTER	6
------	---	---------	------------------------------	----	----	---	----	----	--------------	-------	---------	---

All terrain padlocks



ATL42S	3	HOME	All Terrain 40mm Brass Padlock Stainless Shackle	44	20	6	20	22	5012245037883	KB LN C SL	BLISTER	6
ATL52S	4	HOME	All Terrain 50mm Brass Padlock Stainless Shackle	58	25	8.8	29	28	5012245037920	KB LN C SL	BLISTER	6
ATL42SKA1	3	HOME	All Terrain 40mm KA Brass Padlock Stainless Shackle Key Differ No. 24342	44	20	6	20	22	5012245037890	KB LN C SL	BOX	1
ATL52SKA1	4	HOME	All Terrain 50mm KA Brass Padlock Stainless Shackle Key Differ No. 24342	58	25	8.8	29	28	5012245037937	KB LN C SL	BOX	1



Lock and Chain Sets



Code	SECURITY RATING	@	Description	Link Diameter	Chain Length	Dimensions mm					Barcode	Key Blank or No of combinations	Pack Type	Min Qty
						A	B	C	D	E				
3936	5	LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB 02	BOX	6
3536	6	LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB 02	BOX	6
CP50/36	7	LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	BOX	6
3936 KA	6	LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB 02	BOX	1
3536 KA	6	LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB 02	BOX	1


3936 and 3536 Can be supplied master keyed upon request



## MARINE GRADE LEISURE

- A range designed specifically for marine environments
- Stainless steel shackles - rustproof, excellent performance in harsh weather conditions
- Four ranges of lock, CP combination and Lion premium brass
- All locks come with Squires 10 year guarantee as standard





Lion Range - Marine Grade



Code	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank or No of combinations	Pack Type	Min Qty
				A	B	C	D	E				
LN3S	2	MARINE	30mm Premium Brass 4 pin with stainless steel shackle	31.5	13	5.5	19.5	16.5	5012245039344	KB LN A SL	BLISTER	12
LN4S	3	MARINE	40mm Premium Brass 5 pin with stainless steel shackle	39.5	14	6.5	22	22.5	5012245039313	KB LN C SL	BLISTER	6
LN5S	4	MARINE	40mm Premium Brass 5 pin with stainless steel shackle	51	15.5	8.8	30	28	5012245039320	KB LN A SL	BLISTER	6
LN4S/2.5	3	MARINE	40mm Premium Brass 5 pin with 2.5" stainless steel shackle	39.5	14	6.5	63	22.5	5012245039337	KB LN C SL	BLISTER	6
LN3S/KA1	2	MARINE	KA 30mm Premium Brass 4 pin with stainless steel shackle	31.5	13	5.5	19.5	16.5	5012245039412	KB LN A SL	BOX	1
LN4S/KA1	3	MARINE	KA 40mm Premium Brass 5 pin with stainless steel shackle	39.5	14	6.5	22	22.5	5012245039405	KB LN C SL	BOX	1
LN5S/KA1	4	MARINE	KA 40mm Premium Brass 5 pin with stainless steel shackle	51	15.5	8.8	30	28	5012245039061	KB LN A SL	BOX	1
LN4S/2.5/KA1	3	MARINE	KA 40mm Premium Brass 5 pin with 2.5" stainless steel shackle	39.5	14	6.5	63	22.5	5012245039399	KB LN C SL	BOX	1

CP Range - Marine Grade



CP40S	3	MARINE	40mm Rustproof Combi Padlock - 4 wheel - stainless steel shackle	40	22	6	20	17	5012245029642	10,000	BLISTER	6
CP40S BX	3	MARINE	40mm Rustproof Combi Padlock - 4 wheel - stainless steel shackle - Boxed	40	22	6	20	17	Special	10,000	BOX	1
CP50S	4	MARINE	50mm Rustproof Combi Padlock - 4 wheel - stainless steel shackle	50	26	8	26	22.6	5012245029659	10,000	BLISTER	6
CP50S BX	4	MARINE	50mm Rustproof Combi Padlock - 4 wheel - stainless steel shackle - Boxed	50	26	8	26	22.6	Special	10,000	BOX	1
CP40S/2.5	3	MARINE	40mm Rustproof Combi Padlock - 4 wheel - 2.5" stainless steel shackle	40	22	6	63	17	5012245039351	10,000	BLISTER	6
CP50S/2.5	4	MARINE	50mm Rustproof Combi Padlock - 4 wheel - 2.5" stainless steel shackle	50	26	8	63	22.6	5012245039429	10,000	BLISTER	6
CP50S.2.5 BX	4	MARINE	50mm Rustproof Combi Padlock - 4 wheel - 2.5" stainless steel shackle	50	26	8	63	22.6	Special	10,000	BOX	1

All terrain padlocks - Marine Grade



ATL42SM	3	MARINE	All Terrain 40mm Brass Padlock Stainless Shackle	44	20	6	20	22	5012245040036	KB LN C SL	BLISTER	6
ATL52SM	4	MARINE	All Terrain 50mm Brass Padlock Stainless Shackle	58	25	8.8	29	28	5012245040043	KB LN C SL	BLISTER	6
ATL42SMKA1	3	MARINE	All Terrain 40mm KA Brass Padlock Stainless Shackle Key Differ No. 24342	44	20	6	20	22	5012245040043	KB LN C SL	BOX	1
ATL52SMKA1	4	MARINE	All Terrain 50mm KA Brass Padlock Stainless Shackle Key Differ No. 24342	58	25	8.8	29	28	5012245040067	KB LN C SL	BOX	1

Old English - Marine Grade



555	3	MARINE	Medium Old English Stainless Steel 4 Lever	51	16.5	8	18	18	501224539894	KB 440	BLISTER	6
555KA	3	MARINE	Medium Old English Stainless Steel 4 Lever Keyed Alike	51	16.5	8	18	18	Special	KB 440	BOX	1



### STH100 Padbar

- High security padbar with hardened hasp and staple
- Hardened special cast material - extremely strong
- Hardened rotating stud for extra resistance to attack
- For use only with the SS100CS padlock. Product meets LPCB SR4 when used together.



### STH1 Padbar

- High security padbar with hardened hasp and staple
- Hardened special cast material - extremely strong
- Easy to fit
- Hardened rotating staple for extra resistance to attack



### STH3

- Hardened steel construction with anti-corrosion finish
- Hardened steel staple
- Nut and bolt fixing for added security
- Concealed fixings
- Sold Secure security padlocks & fittings SILVER
- Meets new building regulation requirement for out-buildings security



Hardened



### No.8

- Hardened maxiclamp
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors



Hardened



### No.6H

- Hardened steel hasp and staple
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors



STH100



STH1

**Stronghold® Security products - CEN Grade**



Code	CEN	LPCB	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
						A	B	C	Staple Clearance	Bolt Dia				
STH100	CEN 6	SR4*	10	WORK	Hardened Stronghold Padbar - CEN 6 for SS100CS only	184	86	32	n/a	18	5012245038828	n/a	BOX	1
STH1			10	WORK	Hardened Stronghold Padbar - CEN 6	184	86	32	16	18	5012245007770	n/a	BOX	1

\* LPCB Level 4 only when used in combination with a SS100CS padlock



STH3



No.8



No.6H



**Hasp and staples**



Code	CEN	Security Rating	@	Description	Dimensions mm				Barcode	Pack Type	Min Qty
					A	B	C	Staple Clearance			
STH3	CEN 4	9	WORK	Extra High Security Hasp & Staple - CEN 4	231	76	52.5	13	5012245038064	BLISTER	1
NO.8		7	WORK	Hardened Maxiclam	216	54.2	38	25	5012245003284	BLISTER	2
NO.6H		6	HOME	Hardened Steel clam	152	44	23	12.5	5012245000511	BLISTER	6



LH1



39/NO.6H



39/NO.6H KA

**Lock and Hasp Sets**



Code	Security Rating	@	Description	Dimensions mm			Padlock Dimensions					Barcode	Key Blank	Pack Type	Min Qty
				A	B	C	A	B	C	D	E				
LH1	4	HOME	Locking Hasp & staple	152	44	23						5012245007794	KB LH1	BLISTER	6
39/NO.6H	5	HOME	Laminated Padlock 4 pin & hasp set	152	44	23	51	29	9	24	24	5012245009828	KB 02	BOX	1
39/NO.6H KA	5	HOME	KA Laminated Padlock 4 pin & hasp set	152	44	23	51	29	9	24	24	Special	KB 02	BOX	1

## The Squire Chains Ranges



**Stronghold®**  
TC22  
**Diameter** - 22mm  
**Length** - 1500mm  
Hardened Alloy Steel



**Stronghold®**  
TC19  
**Diameter** - 19mm  
**Length** - 1500mm  
Hardened Alloy Steel



**Stronghold®**  
TC16  
**Diameter** - 16mm  
**Length** - 1500mm  
Hardened Alloy Steel



**Stronghold®**  
TC14  
**Diameter** - 14mm  
**Lengths** - 915mm, 1200mm, 1500mm, 2000mm  
Hardened Alloy Steel



**Stronghold®**  
G Chain  
**Diameter** - 10mm  
**Lengths** - 915mm, 1200mm, 1500mm, 2000mm  
Hardened Alloy Steel





**Stronghold®**  
J Chain

**Diameter** - 8mm  
**Lengths** - 915mm, 1200mm  
Hardened Alloy Steel



**Stronglock®**  
Y Chain

**Diameter** - 10mm  
**Lengths** - 900mm, 1200mm, 1800mm  
Hardened Steel



**Stronglock®**  
X Chain

**Diameter** - 8mm  
**Lengths** - 900mm, 1200mm  
Hardened Steel



**Toughlok™**  
CP Chain

**Diameter** - 6.5mm  
**Lengths** - 900mm, 1200mm  
Hardened Steel



**Toughlok™**  
35 Chain

**Diameter** - 5mm  
**Lengths** - 900mm, 1200mm  
Hardened Steel



### High Security Hardened Alloy Steel Chains - Sold Secure Approved



TC22

new



TC19



TC16



TC14



G3



J4

Code	Security Rating	Sold Secure	Description	Dimensions mm		Barcode	Pack Type	Min Qty
				Link Diameter	Chain Length			
TC22/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	22	1500	5012245038378	BOX	1
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	19	1500	5012245035889	BOX	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	16	1500	5012245035896	BOX	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	915	5012245028089	BOX	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	1200	5012245028096	BOX	1
TC14/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	1500	5012245038590	BOX	1
TC14/7	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	2000	5012245038583	BOX	1
G3	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	915	5012245006537	BOX	1
G4	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	1200	5012245003116	BOX	1
G5	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	1500	5012245038590	BOX	1
G7	9	Bicycle	G Chain alloy steel hardened chain, blue sleeve	10	2000	5012245040630	BOX	1
J3	8	Bicycle	J Chain alloy steel hardened chain, blue sleeve	8	915	5012245008630	BOX	1
J4	8	Bicycle	J Chain alloy steel hardened chain, blue sleeve	8	1200	5012245004366	BOX	1

### Hardened Steel Chains



Y3



X3



CP36PR



3536C

Y3	7		Y Chain hardened steel, grey sleeve	10	900	5012245026597	BOX	1
Y4	7		Y Chain hardened steel, grey sleeve	10	1200	5012245026603	BOX	1
Y6	7		Y Chain hardened steel, grey sleeve	10	1800	5012245032628	BOX	1
X3	6		X Chain hardened steel, grey sleeve	8	900	5012245026573	BOX	1
X4	6		X Chain hardened steel, grey sleeve	8	1200	5012245026580	BOX	1
CP36P	5		CP Chain hardened steel chain, grey sleeve	6.5	900	5012245003345	BOX	1
CP48P	5		CP Chain hardened steel chain, grey sleeve	6.5	1200	5012245003352	BOX	1
3536C	4		Chain hardened steel, grey sleeve	5	900	5012245027655	BOX	1
3548C	4		Chain hardened steel, grey sleeve	5	1200	5012245027648	BOX	1

## Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range includes extremely high security Sold Secure Gold locks for securing expensive bicycles when they are at their most vulnerable. The range is designed to secure all levels of risk encountered in home security, including the tethering of valuable BBQ, garden equipment and patio furniture.



**SOLD SECURE**

	DIAMOND
	GOLD
	SILVER
	BRONZE

### High Security Hardened Alloy Steel Chains - Sold Secure Approved - Lock And Chain Sets



**SS100CS/TC22**

**Chain**  
**Diameter** - 22mm  
**Length** - 1500mm

**Padlock**  
 100mm body width  
 closed shackle  
 padlock



**SS80CS/TC22**

**Chain**  
**Diameter** - 22mm  
**Length** - 1500mm

**Padlock**  
 80mm body width  
 closed shackle  
 padlock



**SS80CS/TC19**

**Chain**  
**Diameter** - 19mm  
**Length** - 1500mm

**Padlock**  
 80mm body width  
 closed shackle  
 padlock



**SS80CS/TC16**

**Chain**  
**Diameter** - 16mm  
**Length** - 1500mm

**Padlock**  
 80mm body width  
 closed shackle  
 padlock



**SS65CS/TC14**

**Chain**  
**Diameter** - 14mm  
**Lengths** - 915mm,  
 1200mm

**Padlock**  
 65mm body width  
 closed shackle  
 padlock



**SS50CS/TC14**

**Chain**  
**Diameter** - 14mm  
**Lengths** - 915mm,  
 1200mm

**Padlock**  
 50mm body width  
 closed shackle  
 padlock



**DCL1/J3**

**Chain**  
**Diameter** - 8mm  
**Lengths** - 915mm

**Padlock**  
 70mm diameter disc  
 lock



**SS50CS/G4**

**Chain**  
**Diameter** - 10mm  
**Lengths** - 1200mm

**Padlock**  
 50mm body width  
 closed shackle  
 padlock



**High Security Hardened Alloy Steel Chains - Lock And Chain Sets**



**SS50S/G3**

**Chain**  
Diameter - 10mm  
Lengths - 915mm

**Padlock**  
50mm body width  
open shackle  
padlock



**SS50 COMBI/G3**

**Chain**  
Diameter - 10mm  
Lengths - 915mm

**Padlock**  
50mm body width  
open shackle  
combination  
padlock



**WARRIOR 65/G4**

**Chain**  
Diameter - 10mm  
Lengths - 1200mm

**Padlock**  
65mm body width  
open shackle  
padlock



**WARRIOR  
COMBI 65/G4**

**Chain**  
Diameter - 10mm  
Lengths - 1200mm

**Padlock**  
65mm body width  
open shackle  
combination  
padlock



**VULCAN P450/Y3**

**Chain**  
Diameter - 10mm  
Lengths - 900mm

**Padlock**  
50mm body width  
open shackle  
padlock



**WARRIOR 55/J3**

**Chain**  
Diameter - 8mm  
Lengths - 915mm

**Padlock**  
55mm body width  
open shackle  
padlock



**3936**

**Chain**  
Diameter - 8mm  
Lengths - 915mm

**Padlock**  
51mm body width  
open shackle  
padlock



**3536**

**Chain**  
Diameter - 8mm  
Lengths - 915mm

**Padlock**  
38mm body width  
open shackle  
padlock



**CP50/36**

**Chain**  
Diameter - 8mm  
Lengths - 915mm

**Padlock**  
50mm body width  
open shackle  
combination  
padlock



### High Security Hardened Alloy Steel Chains - Sold Secure Approved - Lock And Chain Sets



Code	Security Rating	Sold Secure	Description	Link Diameter	Chain Length	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS100CS/TC22/5	10	Motorcycle	SS100CS padlock with hardened alloy chain	22	1500	100	62	20	33	28	5012245038835	KB P6	BOX	1	■
SS80CS/TC22/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	22	1500	80	40	16	25	24	5012245038842	KB P6	BOX	1	■
SS80CS/TC19/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	19	1500	80	40	16	25	24	5012245038859	KB P6	BOX	1	■
SS80CS/TC16/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	16	1500	80	40	16	25	24	5012245038866	KB P6	BOX	1	■
SS65CS/TC14/3	10	Motorcycle	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	KB P6	BOX	1	■
SS65CS/TC14/4	10	Motorcycle	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	KB P6	BOX	1	■
SS50CS/TC14/3	10	Motorcycle	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	KB P6	BOX	1	■
SS50CS/TC14/4	10	Motorcycle	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	KB P6	BOX	1	■
SS50CS/G4	9	Bicycle	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	KB P6	BOX	6	■
DCL1/J3	9	Bicycle	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB P6	BOX	1	
SS100CS/TC22/5/KA	10	Motorcycle	KA SS100CS padlock with hardened alloy chain	22	1500	100	62	20	33	28	Special	KB P6	BOX	1	
SS80CS/TC22/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	22	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS80CS/TC19/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	19	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS80CS/TC16/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	16	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS65CS/TC14/3KA	10	Motorcycle	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS65CS/TC14/4KA	10	Motorcycle	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS50CS/TC14/3KA	10	Motorcycle	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/TC14/4KA	10	Motorcycle	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/G4 KA	9	Bicycle	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	KB P6	BOX		

#### SOLD SECURE

	DIAMOND
	GOLD
	SILVER
	BRONZE

### High Security Hardened Alloy Steel Chains - Lock And Chain Sets



Code	Security Rating	Sold Secure	Description	Link Diameter	Chain Length	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS50S/G3	10	Motorcycle	SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	5012245003536	KB P6	BOX	1	■
SS50COMBI/G3	10	Motorcycle	SS50Combi Padlock with hardened alloy chain	10	915	55	30	10	22	22	5012245035872	n/a	BOX	1	
WARRIOR 65/G4	10	Motorcycle	Warrior 65 Padlock with hardened alloy chain	10	1200	65	34	12	34	24	5012245038965	KB P5	BOX	1	
WARRIOR COMBI 65/G4	10	Motorcycle	Warrior Combi 65 Padlock with hardened alloy chain	10	1200	65	39	12	25	23	5012245038972	n/a	BOX	1	
VULCANP450/Y3	6		Vulcan P4 50 Padlock with hardened steel chain	10	900	55	33	9.5	23	22	5012245035902	KB P4	BOX	1	
WARRIOR55/J3	7		Warrior 55 Padlock with hardened all chain	8	915	55	34	10	30	24	5012245035919	KB P5	BOX	1	
SS50S/G3 KA	10	Motorcycle	KA SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	Special	KB P6	BOX	1	
WARRIOR 65/G4KA	10	Motorcycle	KA Warrior 65 Padlock with hardened alloy chain	10	1200	65	34	12	27	16	Special	KB P5	BOX	1	
VULCANP450/Y3KA	6		KA Vulcan P4 50 Padlock with hardened steel chain	10	900	50	33	9.5	23	22	Special	KB P4	BOX	1	
WARRIOR55/J3KA	7		KA Warrior 55 Padlock with hardened all chain	8	915	55	34	10	30	24	Special	KB P5	BOX	1	

### Hardened Steel Chain Lock And Chain Sets



3936	5	LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB P4	BOX	6	■
3536P	6	LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB P4	BOX	6	■
CP50/36	7	LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	BOX	6	
3936 KA	6	LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB P4	BOX	1	
3536 KA	6	LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB P4	BOX	1	

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this price list. Masterkeyed available

NEW

### GA5 Garage Door Protector Suitable for use on up and over garage doors

- Extra security for up and over garage doors
- Sold Secure Domestic Bronze approved and Secured by Design accredited
- High Security hardened steel construction
- 5 Pin tumbler lock mechanism
- Surface mounted, all in one, integrated product
- Tilt action arm locks into place to prevent garage door from being opened
- Supplied with all fixings
- Simple ground fitting in front of the garage door - Full fitting instructions included
- Once opened, drive straight over, no removal needed



GA5

### GA5 Garage Protector

Code	Security Rating	@	Sold Secure	Description	Dimensions mm			Barcode	Pack Type	Min Qty
					Length	Width	Closed Height			
GA5	10	@HOME	Domestic	GA5 Garage Door Protector	320	100	221	5012245038439	BOX	1

# Ground and Wall Anchors



**GA6**  
Ground Anchor

- Sold Secure Diamond Motorcycle approved
- Single bridge anchor
- Fully case hardened product to RC 60 spec. Solid construction
- Supplied with four security fixing bolts, steel ball inserts
- Blue powder coated finish
- Fits chains up to 22mm



**GA7**  
Ground Anchor

- Sold Secure Gold Motorcycle and Sold Secure Diamond Bicycle Approved
- Single bridge anchor
- Fully case hardened product to RC 60 spec. Solid construction
- Supplied with four security fixing bolts, steel ball inserts
- Blue powder coated finish
- Fits chains up to 19mm



**WA500**  
Wall anchor

- For internal and external use
- Hardened steel 5mm construction
- Powder coated
- Easy to fit
- Supplied with security fittings
- Best for SQUIRE chains up to 10mm



**WA300**  
Wall anchor

- For internal and external use
- Hardened steel 5mm construction
- Powder coated
- Easy to fit
- Supplied with security fittings
- Best for SQUIRE chains up to 8mm

SOLD SECURE

	DIAMOND		SILVER
	GOLD		BRONZE

Code	Sold Secure	Security Rating	Suitable for motorcycles	Description	Dimensions mm				Barcode	Pack Type	Min Qty
					Width	Height	Length	Clearance			
GA6	Motorcycle	10+	Yes	High Security Bridge Ground anchor	200	92	150	73 x 76	5012245038330	BOX	1
GA7	Motorcycle	10	Yes	High Security Bridge Ground anchor	160	75	120	65 x 60	5012245038606	BOX	1
WA500		8		Security Bridge Wall Anchor	283	137	77	58 x 43	5012245036985	BLISTER	1
WA300		5		Bridge Wall Anchor	219	113	48	37 x 31	5012245036992	BLISTER	1

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this price list.

## KILDA Cable locks and **FOLDA** Folding lock **NEW**



### KILDA Key operated cable locks and integrated lock and chain

- Cable locks available in 10mm, 12mm and 15mm diameters - 1800mm length
- Integrated chain lock with 6mm link diameter - 900mm length
- Disc tumbler lock mechanism
- Protective dust cover on keyway
- Comes with 3 keys
- Carrying bracket included



### KILDA Combination cable locks and integrated lock and chain

- Cable locks available in 10mm and 12mm diameters - 600mm and 1800mm lengths
- Integrated chain lock with 6mm link diameter - 900mm length
- 4 Wheels, 10,000 possible combinations
- Fully recodable
- Carrying bracket included



### FOLDA Folding locks

- Compact, easy to carry, easy to use
- Hardened steel links
- Disc tumbler lock mechanism
- Available in two sizes 850mm length and 690mm length
- Carrying bracket included



### 10c and 12C Extender security cables

- Available with 10mm diameter and 12mm diameter
- 1800mm length
- Multi-strand cable with looped ends
- Recommended for use with a suitable Squire D-lock or padlock

KILDA Key Operated Locks

Code	Security Rating	Description	Cable diameter/ Chain link diameter	Length	Barcode	Key Blank	Pack Type	Min Qty
KILDA 10/600	3	Key operated cable lock 10mm x 600mm	10mm	600mm	5012245039450	n/a	CARD	6
KILDA 10/1800	3	Key operated cable lock 10mm x 1800mm	10mm	1800mm	5012245039443	n/a	CARD	6
KILDA 12/1800	4	Key operated cable lock 12mm x 1800mm	12mm	1800mm	5012245039467	n/a	CARD	6
KILDA 15/1800	5	Key operated cable lock 12mm x 1800mm	15mm	1800mm	5012245039474	n/a	CARD	6
KILDA CN6/900	5	Key operated Integrated chain lock 6mm x 900mm	6mm	900mm	5012245039481	n/a	CARD	6

KILDA Combination Locks

Code	Security Rating	Description	Cable diameter/ Chain link diameter	Length	Barcode	No of Combinations	Pack Type	Min Qty
KILDA COMBI 10/600	3	Recodeable cable lock 10mm x 600mm	10mm	600mm	5012245039504	10,000	CARD	6
KILDA COMBI 10/1800	3	Recodeable cable lock 10mm x 1800mm	12mm	1800mm	5012245039498	10,000	CARD	6
KILDA COMBI 12/1800	4	Recodeable cable lock 12mm x 1800mm	15mm	1800mm	5012245039511	10,000	CARD	6
KILDA COMBI CN6/900	5	Recodeable Integrated chain lock 6mm x 900mm	6mm	900mm	5012245039528	10,000	CARD	6

FOLDA Folding Lock

Code	Security Rating	Description	Length	Barcode	Pack Type	Min Qty
FOLDA FL690	6	Folding Lock 690mm	690mm	5012245039542	CARD	6
FOLDA FL850	7	Folding Lock 850mm	850mm	5012245039542	CARD	6

Extender Cables

Code	Security Rating	Description	Cable diameter	Length	Barcode	Pack Type	Min Qty
10C	3	Looped Extender Cable 10mm x 1800mm	10mm	1800mm	5012245007589	CARD	6
12C	4	Looped Extender Cable 12mm x 1800mm	12mm	1800mm	5012245007572	CARD	6



**Old English**



**Model nos.** 220 and Keybolt PET  
**Key Code** KB 220



**Model nos.** 440 PEF  
**Key Code** KB 440



**Model nos.** 660 PES  
**Key Code** KB 660

**DCL1**



**Model nos.** Discus Locks (New Style) DCL1  
**Key Code** KB DCL N

**Lion**



**Model nos.** LN2  
**Key Code** KB LN A SL



**Model nos.**  
New All Terrain ATL42S, ATL52S  
Lion LN3, LN4, LN4S, LN4/2.5, LN5, LN60  
Warehouse WL2, WL3, ASWL 1, ASWL 2  
P5 Range SS50P5, SS50CP5, WS50P5  
P5 Marine version  
Powerlok POL45, POL45CS, POL55, POL55CS  
D Lock Hammerhead  
Mako Conger, AD25, CN8, CN6, 25mm, 18mm, 14mm

**Key Code**  
KB LN C SL

**Locking Hasp**



**Model nos.** LH1  
**Key Code** KB LH1

**Leopard**



**Model nos.** LP6, LP7  
**Key Code** KB LP A SL



**Model nos.** LP8, LP8/2  
**Key Code** KB LP B SL



**Model nos.** LP9, LP10, LP60  
**Key Code** KB LP C SL


**Stronglock Pin Tumbler**



**Model nos.** Stronglock Pin Tumbler 35, 37, 37CS, 37/2.5, 39, 39CS, 39/2.5  
Vulcan Range VULCAN P4 40, P4 45, P50 -All shackle types  
D-Lock CH260  
**Key Code** KB P4 (formerly KB O2)

# Keys and Key Blanks

## All Terrain (old style)



**Model nos.** ATL4, ATL5, ATL4S, ATL5S  
**Key Code** KB ATL4/5

## GarageGuard




**Model nos.** GARAGEGUARD  
**Key Code** KB GARAGE GUARD



**Model nos.**  
 Lion LN3, LN4, LN4S, LN4/2.5, LN5, LN60  
 Warehouse WL2, WL3, ASWL 1, ASWL 2  
 P5 Range SS50P5, SS50CP5, WS50P5  
 WARRIOR WAR65, WAR55, WAR45 - All shackle types  
 D Lock Hammerhead  
 Mako Conger, AD25, CN8, CN6, 25mm, 18mm, 14mm

**Key Code**  
 KB P5


## Stronghold Hi-Security



**Model nos.** Stronghold Hi-Security SS80, SS80CS, SS65S, SS65CS, WS75, WS50, SS50S, SS50CS, HLS50, SS65/2.5, SS50 MARINE VERSIONS

**Key Code**  
 KB P6 ( formerly CYKEY/SI/BL)

## Stronghold R1 Restricted Range



**Model nos.** Cut Key for restricted cylinders and locks  
**Key Code** CYKEY/R1/BL

## Stronghold E1 Dimple Pin



**Model nos.** Stronghold Hi-Security SS80, SS80CS, SS65S, SS65CS, WS75, SS50S, SS50CS, SS65/2.5, SS50/2.5

**Key Code**  
 CYKEY/E1/BL

## Key Blanks

Code	Description	Barcode
KBLN A SL	Keyblank for 20 & 25 Lion brass	Special
KBLN C SL	Keyblank for LN / DCL / P5 / WL / ASWL / WAR	Special
KBLP A SL	Keyblank for 20 & 25 Leopard Brass	Special
KBLP B SL	Keyblank for 30 Leopard Brass	Special
KBLP C SL	Keyblank for 40, 50, 60, 70 Leopard Brass	Special
KBATL4/5	Keyblank for All Terrain (Old style)	Special
KB 220	Keyblank for Old english (220)	Special
KB 440	Keyblank for Old english (440)	Special
KB 660	Keyblank for Old english (660)	Special
KB 02	Keyblank for Laminated stronglock, (same as KB P4)	Special
CYKEY/S1/BL	Keyblank for Stronghold 6 pin	Special
CYKEY/E1/BL	Keyblank for Stronghold 6 pin E1 Profile	Special
KBLH1	Keyblank for Locking Hasp	Special
KB DCL N	Keyblank for DCL1	Special
CYKEY/R1/BL	Keyblank for restricted cylinders	Special
KB GARAGE GUARD	Keyblank for Garage Guard	Special
KB P4	Key Blank P4 (4-Pin) Laminated padlocks (same as KB 02)	Special
KB P5	Key Blank P5 (5-Pin) padlocks	Special
KB P6	Key Blank P6 (6-Pin) Stronghold Padlocks (same as CYKEY/S1/BL)	Special

## Cut Keys

Code	Description	Barcode
CK660	Cut key for 660 Old English	Special
CK440	Cut key for 440 Old english	Special
CK220	Cut key for 220 Old english	Special
CK02	Cut key for Laminated Stronglock	Special
CKATL	Cut key for All Terrain padlocks	Special
CKLN	Cut key for Lion padlocks	Special
CKLP	Cut key for Leopard padlocks	Special
CYKEY/S1/CK	Cut key for Stronghold 6 pin	Special
CYKEY/E1/CK	Cut key for Stronghold 6 pin E1 Elite Dimple	Special
CYKEY/R1/CK	Cut Key for restricted cylinders	Special
MK	Cut Master Key for all ranges except S1/E1/R1	Special
MKS1	Cut Master Key for S1 Profile	Special
MKE1	Cut Master Key for E1 Profile	Special
MKR1	Cut Master Key for R1 Profile	Special
CKP4	Cutkey for P4 (4-Pin) Laminated Padlocks (Same as KB 02)	Special
CKP5	Cutkey for P4 (5 Pin) Padlocks	Special
CKP6	Cutkey for P6 (6-Pin) Stronghold Padlocks (Same as CYKEY/S1/CK)	Special

### BP85 Merchandiser

BP85

A free merchandiser is available as part of a stocking deal covering 50+ lines

Speak to your representative.



#### BP85 Specification

<b>Height</b>	2050mm
<b>Depth</b>	550mm
<b>Width</b>	1000mm
<b>Colour</b>	Blue and Gold

### BP65 Merchandiser

BP65

A free merchandiser is available as part of a stocking deal covering 40+ lines

Speak to your representative.



#### BP65 Specification

<b>Height</b>	2050mm
<b>Depth</b>	550mm
<b>Width</b>	650mm
<b>Colour</b>	Blue and Gold

### BP40 Merchandiser - Hardware Key and Combination versions

BP40

A free merchandiser is available as part of a stocking deal covering 20+ lines

Squire customers can choose:  
BP40 Hardware key operated locks

BP40 Hardware combination locks

BP40 Combination and Key - combined



#### BP40 Specification

<b>Height</b>	1780mm
<b>Depth</b>	495mm
<b>Width</b>	430mm
<b>Colour</b>	Blue and Gold

### CPDUCPBOXED Counter top merchandiser

Can be used on counter or hung from slat wall  
4+ lines CP50, CP50 ATL, CP50S and Vulcan Combi 50

Speak to your representative.



#### CPDUCPBOXED Specification

<b>Height</b>	530mm
<b>Depth</b>	152mm (excluding feet)
<b>Width</b>	360mm
<b>Colour</b>	Blue / printed graphics

## New Stronghold® SS100 POS board

The **SS100** is the newest addition to Squire's **Stronghold®** range. These stunning locks are now available on a Point of Sale, merchandiser board. Both versions, the open and closed version are displayed, fixed to a strong bracket. The board comes with 'J' Hooks supplied and loops prefixed to the back of the board for easy installation.



### SS100 POS Specification

<b>Width</b>	800mm
<b>Height</b>	480mm
<b>Depth</b>	50mm approx
<b>Colour</b>	Printed graphics

## New Combi-Bolt® POS board

The **Combi-Bolt®** range is a highly popular and successful group of products. All 5 versions of the **Combi-Bolt®** are displayed on the Point of sale board. The board is made from lightweight di-bond and comes with hanging brackets affixed for easy installation. All **Combi-Bolts®** are pre-fixed to the board with security head screws.



### CombiBolt POS Specification

<b>Width</b>	620mm
<b>Height</b>	420mm
<b>Depth</b>	50mm approx
<b>Colour</b>	Printed graphics

## Point of Sale



Code	Description	Size
<b>POS/MMS/BP85</b>	Magnetic Strip for BP85 Work/Home/Leisure	100cm x 5cm
<b>POS/MMS/BP65/W</b>	Magnetic Strip (WORK) for BP65	65cm x 5cm
<b>POS/MMS/BP65/H</b>	Magnetic Strip (HOME) for BP65	65cm x 5cm
<b>POS/MMS/BP65/L</b>	Magnetic Strip (LEISURE) for BP65	65cm x 5cm
<b>POS/MMS/BP40/W</b>	Magnetic Strip (WORK) for BP40	42cm x 5cm
<b>POS/MMS/BP40/H</b>	Magnetic Strip (HOME) for BP40	42cm x 5cm
<b>POS/MMS/BP40/L</b>	Magnetic Strip (LEISURE) for BP40	42cm x 5cm
<b>POS/SLWCARD/750</b>	Wall Slat Card 75cm	75cm x 75cm
<b>POS/SLWCARD/1000</b>	Wall Slat Card 100cm	100cm x 100cm
<b>POS/BANNER</b>	Banner for Outdoor use on Railings and fencing	240cm x 90cm
<b>POS/POSTER/SS100</b>	Poster of SS100CS, for internal use only	30cm x 40cm
<b>POS/WNDW/VRTCAL/SQ</b>	Window Surround Vertical Orientation	10cm x Variable
<b>POS/WNDW/HRZNTAL/SQ</b>	Window Surround Horizontal Orientation	Variable x 10cm
<b>POS/SS100S/CDISPLAYBOARD</b>	SS100 Display board	80cm x 48cm
<b>POS/COMBIBOLTDISPLAYBOARD</b>	Combi bolt Display board	62cm x 42cm

The items listed in the table above are a sample of POS that is available. Please ask for further details

# Terms and conditions

In these Conditions “the Company” shall mean Henry Squire & Sons Ltd and “the Goods” shall mean and includes goods and/or works (including all workmanship) or any part thereof of any description to be performed under this Contract.

**Formation of Contract**

- 1.1.1. All quotations, offers and tenders are made and all orders are accepted subject to the following Conditions. All other terms, conditions or warranties whatsoever are excluded from any contract between the Company and the Customer unless expressly accepted in writing by a director or other authorised representative of the Company.
- 1.1.2. In the event of a conflict between these Conditions and the Company’s express terms of any tender, quotation or order acknowledgement then such express terms shall prevail.
- 1.2. Quotations, offers and tenders issued by the Company are for the whole of the goods referred to in them and the Company reserves the right to refuse acceptance of any order which relates to only part of the Goods forming the subject of a quotation, offer or tender.
- 1.3. Quotations shall be available for acceptance for a maximum period of 30 days from the date of issue and may be withdrawn by the Company at any time prior to the Customer’s acceptance by written or oral notice.
- 1.4. If any statement or representation has been made to the Customer by the Company, or its employees, officers or agents upon which the Customer relies (other than in the document[s] enclosed with the Company’s quotation or acknowledgement of order) then the Customer must set out that statement or representation in a document to be attached to or endorsed on the order and in any such case the Company may confirm, reject or clarify the point and submit a new quotation, if appropriate. Under no circumstances shall the Company be responsible or held liable in respect of any statement or representation relied upon by the Customer which is not endorsed on the order and subsequently confirmed in writing by the Company.
- 1.5. Unless specifically agreed to the contrary all trade terms shall be interpreted in accordance with the INCOTERMS current at the time the order is accepted.

**Prices**

- 2.1. Unless otherwise stated in writing, all prices are quoted nett ex works and VAT, where appropriate, is payable in addition.
- 2.2. Unless otherwise agreed in writing, carriage will be paid on all orders of a nett value of £145 or over for despatch to points within the United Kingdom by the Company’s usual means of carriage. Orders of a nett value less than £145 may also be despatched but the carriage charge will be debited on the invoice.
- 2.3. Where, at the Customer’s request, orders are forwarded by any means involving a higher carriage charge than would be incurred by use of the Company’s usual means of carriage then the additional charge will be debited on the invoice.
- 2.4. Quoted prices are subject to fluctuation and the price payable for the Goods shall be the standard trade price of the Company as published in its recommended retail price list (less any agreed discounts) in force at the time of delivery.
- 2.5. In the event of any alteration being requested by the Customer in design or specification and agreed to by the Company, the Company shall be entitled to make an adjustment to the quoted price fairly reflecting such alteration.

**Payment**

- 3.1. Unless otherwise agreed by the Company in writing and subject to satisfactory trade references, payment shall be due and payable by the end of the month following the month in which the invoice was issued, a cash discount of 1.5% will be allowed on all invoices that are paid by the due date unless otherwise stated.
- 3.2. The Company shall be entitled to submit its invoice with its delivery advice note or at

- any time afterwards save that where delivery has been postponed at the request of or by the default of the Customer then the Company may submit its invoice at any time after the Goods are ready for delivery or would have been ready in the ordinary course but for the request or default on the part of the Customer.
- 3.3. Where Goods are delivered by instalments the Company may invoice each instalment separately and the Customer shall pay such invoices in accordance with these Conditions.
- 3.4. No disputes arising under the contract nor delays beyond reasonable control of the Company shall interfere with prompt payment in full by the Customer.
- 3.5. In the event of default in payment by the Customer the Company shall be entitled, without prejudice to any other right or remedy:
  - 3.5.1. to suspend all further deliveries on any contract or contracts between the Company and the Customer without notice.
  - 3.5.2. to charge interest on any amount outstanding at the rate of either 2% per annum above the Base Rate of Barclays Bank plc such interest being charged as a separate continuing obligation not merging with any judgement; and/or
  - 3.5.3. to serve notice on the Customer requiring immediate payment for all Goods supplied by the Company under this and all other contracts with the Customer whether or not payment is otherwise due.
- 3.6. All payments received by the Company from the Customer may unless specifically appropriated by the Customer to any particular consignment of Goods be appropriated by the Company as it thinks fit.

**Delivery**

- 4.1. Time for delivery is given as accurately as possible but is not guaranteed. The Customer shall have no rights to damages or to cancel the order for failure for any cause to meet any delivery time stated.
- 4.2. Failure by the Customer to take delivery of or to make payment in respect of any one or more instalments of Goods delivered under the contract shall entitle the Company to treat the whole or part of the contract as repudiated by the Customer.
- 4.3. The Company will endeavour to comply with reasonable requests by the Customer for postponement of delivery but shall be under no obligation to do so. Where delivery is postponed, otherwise than due to the default by the Company, the Customer shall pay all costs and expenses so occasioned and payment for the Goods shall be made in accordance with these Conditions.
- 4.4. Any packaging supplied by the Company, unless otherwise expressly agreed in writing, is intended to provide adequate protection in normal conditions of transit of usual duration.
- 4.5. Section 32(2) and (3) of the Sale of Goods Act 1979 shall not apply.

**Minimum Orders and Packing**

- 5.1. Unless otherwise agreed in writing orders must conform to minimum standard pack quantities shown in the Company’s current price list. Where smaller than standard pack quantities are ordered for any Goods this quantity will be increased to conform to the nearest pack multiple.
- 5.2. Presentation-packed products will be sent against all orders unless the Customer states on the face of the order that carton-pack is required.

**Risk and Title**

- 6.1. Risk shall pass to the Customer so that the Customer is responsible for all loss, damage or deterioration to the Goods;
  - 6.1.1. if the Company delivers the Goods by its own transport or in accordance with a specific contractual obligation arranges transport for the Goods at the time when they arrive at the designated place of delivery, or
  - 6.1.2. in all other circumstances at the time when the Goods leave the premises of the Company.
- 6.2. Title to the Goods shall only pass to the Customer upon the happening of any one of the following events:
  - 6.2.1. the Customer has paid to the Company all sums (including any default interest) due from it

- to the Company under this contract and under all other contracts between the Company and the Customer including (for the avoidance of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or under contracts made after this contract whether or not the same are immediately payable, or of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or when the Company serves on the Customer notice in writing specifying that title in the Goods has passed.
- 6.2.2. The Company may recover Goods in respect of which title ny premises of the Customer for the purpose either of satisfying itself that Condition 6.4 is being complied with by the Customer or of recovering any Goods in respect of which title has not passed to the Customer.has not passed to the Customer at any time and the Customer hereby licenses the Company, its officers, employees and agents to enter upon any premises of the Customer for the purpose either of satisfying itself that Condition 6.4 is being complied with by the Customer or of recovering any Goods in respect of which title has not passed to the Customer.
- 6.4. Until title to the Goods has been passed to the Customer pursuant to these terms it shall possess the Goods as fiduciary agent and bailee of the Company. If the Company so requires, the Customer shall store the Goods separately from other goods and shall ensure that they are clearly identifiable as belonging to the Company.

**Cancellation and Return of Goods**

- 7.1. Cancellation by the Customer will only be agreed to by the Company on condition that all costs and expenses incurred by the Company up to the time of cancellation and all loss of profits and other loss or damage resulting to the Company by reason of such cancellation will be paid forthwith by the Customer to the Company.
- 7.2. Goods returned to the Company without the Company’s consent will under no circumstances be accepted for credit. Goods will only be accepted if they are, in the sole opinion of the Company, in good saleable condition and remain upon the Company’s current price list. An inspection and handling fee will be charged on such Goods.

**Sale by Sample**

- 8. Notwithstanding that samples may be or have been submitted by the Company the sale to the Customer is not and shall not be deemed to be a sale by sample for the purposes of Section 15 of the Sale of Goods Act 1979. Any samples submitted to the Customer are intended to indicate only the substance and the general character of the materials and the Customer shall have no claim if the colour composition of the bulk supplied fails to correspond with the sample in such respect unless the particular requirement is specified by the Customer and accepted by a director or other authorised representative of the Company in writing.

**Specification**

- 9. The information contained in the advertising, sales and technical literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any illustrations, performance details, examples of installations and methods of assembly and all other technical data in such literature are based on experience and on trials under test conditions and are provided for general guidance only. No such information or data shall form part of the contract unless the Customer shall have complied with Condition 1.4. relating to statements and representations.

**Loss Shortages and Defects Apparent on Inspection**

- 10.1. The Customer shall have no claim for loss, shortages or damage on delivery which are or would be apparent on visual inspection unless:
  - 10.1.1. the Customer inspects the Goods within three working days of their arrival at its

# Terms and conditions

- 10.1.2. premises or other agreed destination, and a written complaint specifying the loss, shortage or damage is made to the Company and to the carrier within seven working days of delivery in the event of partial loss, damage, or non-delivery of any separate part of a consignment, or within fourteen working days of the notified date of despatch in the event of non-delivery of a whole consignment or, in either event, within such shorter period as the carrier's conditions (if applicable) require, and
- 10.1.3. The Company is given an opportunity to inspect the Goods and investigate any complaint before any use of or alteration to or interference with the Goods.
- 10.2. If a complaint is not made to the Company as provided in this Condition 10 then the Goods will be deemed to be in all respects in accordance with the contract and the Customer shall be bound to pay for the same accordingly.
- 10.3. Defects in any instalment delivery shall not be a ground for cancellation of the remainder of the order.

## Defects not Apparent on Inspection

- 11.1. The Customer shall have no claim in respect of defects not apparent on visual inspection following delivery conditions unless envisaged by these Conditions unless:
- 11.1.1. a written complaint is sent to the Company as soon as reasonably practicable after the defect is discovered and no use is made of the Goods thereafter and no alteration made thereto or interference made therewith before the Company is given an opportunity to inspect the Goods in accordance with this Condition.
- 11.2. The Customer shall not be entitled to any claim in respect of any repairs or alterations undertaken by the Customer without the prior specific written consent of the Company nor in respect of any defect arising by reason of fair wear and tear or damage due to accident, neglect or misuse nor in respect of any Goods to which alterations have been made without such consent or to which replacement parts not supplied by the Company have been fitted.
- 11.3. The Company shall not be liable for and the Customer shall indemnify the Company against claims arising from their loss or damage suffered by reason of use of the Goods after the Customer becomes aware of a defect or after circumstances which should reasonably have indicated to the Customer the existence of a defect.
- 11.4. The Company may within 15 working days of receiving a written complaint (or 28 days where the Goods are situated outside the United Kingdom) inspect the Goods and the Customer, if so required by the Company, shall take all steps necessary to enable the Company to do so.

## Guarantee Condition

- 12.1. Save as otherwise provided by the other conditions of these Conditions Sections 13 to 15 of the Sale of Goods Act 1979 are to be implied into the contract.
- 12.2. In the event of the condition of the Goods being such as might or would (subject to these Conditions) entitle the Customer to claim damages, to repudiate the contract and/or reject the Goods the Customer shall not then do so but shall first ask the Company to repair or supply satisfactory substitute Goods and the Company shall thereupon be entitled at its option to repair or take back the defective Goods and to supply satisfactory substitute Goods free of cost and within a reasonable time or to repay the price of the Goods in respect of which the complaint is made.
- 12.3. If the Company does so repair the Goods or supply satisfactory substitute Goods or effect repayment pursuant to Condition 12.2. above the Customer shall be bound to accept such repaired or substituted goods or repayment and the Company shall be under no liability in respect of any loss or damage whatsoever arising from the initial delivery of the defective Goods or from the delay before the defective Goods are repaired or the substitute Goods are delivered or the repayment is effected.

## Liability

13. Save where the Company is shown to have failed to exercise reasonable care in the manufacture and/or supply of the Goods and such failure results in death repaired or

substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT). or personal injury, the Company shall not be liable in respect of claims arising by reason of death or personal injury. Further, under no circumstances whatsoever shall the Company be liable for consequential loss (including removal or rectification work required in connection with the installation of repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT). be liable for consequential loss (including removal or rectification work required in connection with the installation of repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT).

## Confidential Information and Industrial Property Rights

- 14.1. All drawings, documents, confidential records, computer software and other information supplied by the Company are supplied on the express understanding that copyright is reserved to the Company and that the Customer will not, without the written consent of the Company, either give away, loan, exhibit or sell any such drawings, documents, records, software or other information or extracts there from or copies thereof or use them in any way except in connection with the Goods in respect of which they are issued.
- 14.2. All claims for alleged infringement in respect of patents, trade marks, registered design, design right or copyright received by the Customer must be notified immediately to the Company so that the Company can be kept fully informed of the conduct of such claims, trade marks, registered design, design right or copyright received by the Customer must be notified immediately to the Company so that the Company can be kept fully informed of the conduct of such claims.

## Customers' Drawings

- 15.1. The Customer shall be solely responsible for ensuring that all drawings, information, advice and recommendations given to the Company, either directly or indirectly by the Customer's agents, servants, consultants, or advisers are accurate, correct and suitable. Examination or consideration by the Company of such drawings, information, advice or recommendations shall in no way limit the Customer's responsibility hereunder unless a director or other authorised officer of the Company specifically agrees in writing to accept responsibility.
- 15.2. The Customer shall indemnify the Company from and against all actions, claims, costs and proceedings which arise due to the manufacture of Goods to the drawings or specifications of the Customer where such drawings or specifications are at fault or where it is alleged that they involve an infringement of a patent, copyright, registered design, design right or design copyright or other exclusive right.

## Insolvency

16. If the Customer shall become bankrupt or under the provisions of Section 123 of the Insolvency Act 1986 is deemed to be unable to pay its debts or compounds with creditors or in the event of a resolution being passed or proceedings commenced for the administration or liquidation of the Customer (other than for a voluntary solvent winding up for the purposes of reconstruction or amalgamation) or if a Receiver or Manager is appointed for all or any part of its assets or undertaking, the Company shall be entitled to cancel the contract in whole or in part by notice in writing without prejudice to any other right or remedy accrued or accruing to the Company.

## Force Majeure

- 17.1. In the event of the performance of any obligation accepted by the Company being prevented, delayed, or in any way interfered with by either:
- 17.1.1. direction of government, war, industrial dispute, strike, breakdown or machinery or plant, accident, fire or by any other cause beyond the Company's control, or
- 17.1.2. non-delivery by the Company's suppliers or damage to or destruction of the whole date of

suspension or cancellation. or part of the Goods, the company may at its option suspend performance or cancel its obligations under the contract without liability for any damage or consequential loss resulting there from such suspension or cancellation being without prejudice to the Company's right to recover all sums owing to it in respect of consignments delivered and costs incurred prior to the date of suspension or cancellation.

## Consumer Protection Act 1987 ("the Act")

- 18.1. In circumstances where the Company supplies parts or products to the Customer for incorporation with, or use ancillary to, any composite or other products to be produced, manufactured, processed or supplied by the Customer then:
- 18.1.1. the Customer shall forthwith on demand produce for inspection by the Company copies of all written instructions, information and warnings to be supplied by the Customer in relation to the said composite or other products, provided nevertheless that such inspection or right to inspect shall not of itself constitute acceptance or approval on the part of the Company of such instructions, information or warnings, and
- 18.1.2. the Customer shall indemnify, reimburse and compensate the Company for all losses and damages (including costs, expenses and charges for legal actions in which the Company may be involved) that the Company may incur in the event that any claim or claims are made against the Company pursuant to the Act or otherwise relating to the said composite or other products of the customer in circumstances in which the part or product supplied by the Company was either (i) not the defective part of the said composite product, or (ii) was only rendered the defective part or became a defective product by reason or actions or omissions of the Customer (including without limitation the supply of defective free issue materials), or (iii) was only rendered the defective part or became a defective product by reason of instructions or warnings given by the Customer or other supplier of the said composite or other products or (iv) supplied in accordance with a specification and/or drawings furnished by or on behalf of the Customer. defective product by reason of instructions or warnings given by the Customer or other supplier of the said composite or other products or (iv) supplied in accordance with a specification and/or drawings furnished by or on behalf of the Customer.
- 18.1.3. for the purpose of this condition only the word "defective" shall be interpreted in accordance with the definition of 'defect' contained in Part 1 or the Act.
- 18.2. The Customer hereby acknowledges that it is under a duty to pass on to its customers (where appropriate) all instructions, information and warnings supplied to it by the Company with the Goods.

## Assignment

19. The contract is between the Company and the Customer as principles and under no circumstances shall the Customer assign the benefit or burden of it without the prior written consent of the Company. The Company shall be entitled to assign or sub-contract the whole or part of its obligations under the contract.

## Severability

20. In the event of any provision of these Conditions being or becoming void in whole or part of the other other provisions of these conditions shall remain fully valid and enforceable and void provisions shall, where appropriate, be replaced in accordance with the meaning and purpose of these Conditions.

## Legal

21. The contract shall be governed and interpreted exclusively according to the law of England and shall be subject to the jurisdiction of the English Courts only.



# 240|YEARS

OF LOCKMAKING EXCELLENCE

[www.squirelocks.co.uk](http://www.squirelocks.co.uk)

Henry Squire & Sons Limited, Hilton Cross Business Park, Cannock Road, Featherstone, Wolverhampton, WV10 7QZ

Tel: +44 (0)1902 308050

E-Mail: [info@henry-squire.co.uk](mailto:info@henry-squire.co.uk)